



EXCELLENCE IN LUBRICANTS

SAFETY DATA SHEET

Autotrans CVT



EXOL LUBRICANTS LIMITED

ALL SAINTS ROAD, WEDNESBURY, WEST MIDLANDS, ENGLAND, WS10 9LL

TEL: +44 (0) 121 568 6800 • FAX: +44 (0) 121 568 6720

WWW.EXOL-LUBRICANTS.COM



SAFETY DATA SHEET

Autotrans CVT

Product Code: A042

SECTION 1 IDENTIFICATION OF SUBSTANCE/MIXTURE AND OF COMPANY/UNDERTAKING

| | |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| 1.1 Product Identifier | Autotrans CVT |
| Product Code | A042 |
| 1.2 Relevant identified uses of the substance or mixture and uses advised against | Automotive transmission fluid. Do not use in any other application. |
| 1.3 Company | Exol Lubricants Limited All Saints Road Wednesbury, West Midlands, WS10 9TS |
| 1.4 Emergency Telephone Number | +44 (0) 121 568 6800 (Monday – Friday 08.30 – 17.00 hrs GMT) |
| 1.5 Other Information | Preparation Date: 16/02/2015 |

SECTION 2 HAZARD IDENTIFICATION

| | |
|------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2.1 Classification of the substance or mixture | Not classified as hazardous in accordance with CLP (EC 1272/2008) and DPD (1999/45/EC) |
| 2.2 Label Elements | No labelling required |
| 2.3 Other Hazards | Not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 DMSO test. |

SECTION 3 COMPOSITION/ INFORMATION ON INGREDIENTS

| 3.2 Mixtures | Component | EC No. | REACH Reg. No. | GHS Classification | DSD Classification | Conc. % |
|--------------|------------------------------------------------------------------------------|-------------------------|------------------|---------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|---------|
| | Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs. | 471-920-1 | 01-0000019770-68 | Skin Sens. 1; H317 | Xi; R38 R43 | <1.5 |
| | Reaction products of Benzeneamine, N-phenyl-with nonene (branched) | 253-249-4 | 01-2119488911-28 | Aquatic Chronic 4; H413 | R53 | <1.5 |
| | Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich | 800-172-4 | Not Available | Aquatic Chronic 2; H411 | N; R51/53 | <1.5 |
| | Alkyl borate | Confidentiality Pending | Not Available | Aquatic Chronic 3; H412 Eye Irrit. 2; H319 | Xi; R36/38 R52/53 | <1.5 |
| | C14-18 alpha-olefin epoxide, reaction products with boric acid | Polymer | Not Available | Skin Sens. 1; H317 | - | <0.2 |
| | 1,2-Propanediol, 3-amino-, N,N-dicoco alkyl derivs | 482-000-4 | 01-0000020142-86 | Aquatic Chronic 3; H412 Skin Sens. 1; H317 | - | <0.2 |
| | Diphenylamine | 204-539-4 | Not Available | Acute Tox. 3; H301 Acute Tox. 3; H311 Acute Tox. 3; H331 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 STOT RE 2; H373 | N; R50/53 T; R23/24/25 R33 | <0.2 |
| | Ethanol, 2,2'-iminobis-, N-tallow alkyl derivatives | 263-177-5 | Not Available | Acute Tox. 4; H302 Aquatic Acute 1; H400 Eye Dam. 1; H318 Met. Corr. 1; H290 Skin Corr. 1C; H314 Skin Sens. 1; H317 | Xn; R22 C; R34 N; R50 R43 | <0.2 |



SAFETY DATA SHEET

SECTION 4 FIRST AID MEASURES

4.1 Description of first aid measures

- Inhalation** If inhalation of mists, fumes or vapour causes irritation to the nose or throat, or coughing, remove to fresh air. If symptoms persist obtain medical advice.
- Eyes** Wash eye thoroughly with copious quantities of water, ensuring eyelids are held open. Obtain medical advice if any pain or redness develops or persists.
- Skin** Wash skin thoroughly with soap and water as soon as reasonably practicable. Remove heavily contaminated clothing and wash underlying skin.
- Ingestion** If contamination of the mouth occurs, wash out thoroughly with water.
Except as a deliberate act, the ingestion of large amounts of product is unlikely. If it should occur, do not induce vomiting; obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed No ill effects known

4.3 Indication of immediate medical attention and special treatment needed, if necessary Eye contact: immediately wash out with plenty of water

SECTION 5 FIRE-FIGHTING MEASURES

- 5.1 Extinguishing media** Foam, dry powder or water fog. Water can be used to cool and protect exposed material.
- 5.2 Specific hazards arising from the substance or mixture** Toxic fumes may be evolved on burning or exposure to heat. See Stability and Reactivity, Section 10 of this Safety Data Sheet.
- 5.3 Advice for fire-fighters** Wear self-contained breathing apparatus. Water may cause splattering.

SECTION 6 ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures** Immediately evacuate all personnel from danger area. Wear Personal Protective Equipment. Eliminate all sources of heat, sparks, pilot lights, static electricity and open flames. Spilled material may make surfaces slippery.
- 6.2 Environmental precautions** Protect drains from potential spills to minimise contamination. Do not wash product into drainage system.
In the case of large spills contact the appropriate authorities. In the case of spillage on water, prevent the spread of product by the use of suitable barrier equipment. Recover product from the surface. Protect environmentally sensitive areas and water supplies.
- 6.3 Methods and material for containment and cleaning up** Absorb into dry earth or sand. Protect drains using drain covers. Dispose of as hazardous waste.
- 6.4 Reference to other sections** Personal protective equipment: See section 8

SECTION 7 HANDLING AND STORAGE

- 7.1 Precautions for safe handling** Avoid contact with eyes. If splashing is likely to occur wear a full face visor or chemical goggles as appropriate. Avoid frequent or prolonged skin contact with fresh or used product. Good working practices, high standards of personal hygiene and plant cleanliness must be maintained at all times. Wash hands thoroughly after contact. Use disposable cloths and discard when soiled. Do not put soiled cloths into pockets.
Use a suitable barrier cream at regular intervals.
- 7.2 Conditions for safe storage, including any incompatibilities** Keep out of the reach of children.
Store under cover away from heat and sources of ignition.
- 7.3 Specific end use(s)** Intended for use as an automotive transmission fluid

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

| Country | Substance | Long Term (8 Hours TWA) | Short Term (15 Mins) |
|---------|-----------|-------------------------|----------------------|
| None | | | |

8.2 Exposure controls

- Use local exhaust ventilation to control mists or vapours.
- Hand Protection:** Nitrile or neoprene protective gloves
- Eye Protection:** Safety glasses
- Skin Protection:** Protective clothing
- Hygiene Measures:** Wash thoroughly after handling this product



SAFETY DATA SHEET

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Does not constitute a specification

Typical Values

| Grades: | Units | Autotrans CVT |
|----------------------------------------------|--------------------|-------------------|
| Appearance | | Red Liquid |
| Odour | | Mild |
| Odour Threshold | | No data available |
| pH | | Not applicable |
| Pour point/range | °C | -48 |
| Initial boiling point and range | °C | No data available |
| Flash point (COC) | °C | 200 |
| Flammability | | Not flammable |
| Upper/lower flammability or explosive limits | | Not applicable |
| Vapour pressure | kPa (0.1 mm Hg) | No data available |
| Relative density | kg/m ³ | 0.848 @ 20°C |
| Solubility - water | | Insoluble |
| Partition coefficient n-octanol/water | Log Pow | Not applicable |
| Autoignition temperature | | No data available |
| Decomposition temperature | | No data available |
| Viscosity | mm ² /s | 7.20 @ 100°C |
| | mm ² /s | 33.7 @ 40°C |
| Evaporation rate | | Not applicable |
| Vapour density | | Not applicable |
| Explosive properties | | Not applicable |
| Oxidising properties | | None |

9.2 Other Information None

SECTION 10 STABILITY AND REACTIVITY

| | |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 10.1 Reactivity | No dangerous reactions known |
| 10.2 Chemical stability | Stable under normal conditions of use |
| 10.3 Possibility of hazardous reactions | None known |
| 10.4 Conditions to avoid | Avoid overheating. |
| 10.5 Incompatible materials | Avoid contact with strong oxidising agents |
| 10.6 Hazardous decomposition products | Thermal decomposition products will vary with conditions. Incomplete combustion will generate smoke, carbon dioxide and hazardous gases, including carbon monoxide. |

SECTION 11 TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute Toxicity

- Oral No toxic components present at levels to cause classification.
- Inhalation No toxic components present at levels to cause classification.
- Dermal No toxic components present at levels to cause classification.

Corrosivity/Irritation

- Eye No components present that are classified as eye irritants.
- Skin No components present that are classified as skin irritants but may cause skin irritation due to de-fatting effect on skin.

- Respiratory Tract No components present that are classified as respiratory irritants.

Sensitisation

- Skin No evidence of sensitisation effects.



SAFETY DATA SHEET

| | |
|------------------------|---------------------------------------|
| - Respiratory | No evidence of sensitisation effects. |
| Repeated-dose Toxicity | No data available. |
| Mutagenicity | No evidence of mutagenicity. |
| Carcinogenicity | No evidence of carcinogenicity. |
| Reproductive Toxicity | No evidence of reproductive toxicity. |

SECTION 12 ECOLOGICAL INFORMATION

| | |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| 12.1 Toxicity | Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired |
| 12.2 Persistence and Degradability | No data available |
| 12.3 Bioaccumulative Potential | There is no evidence to suggest bioaccumulation will occur. |
| 12.4 Mobility in Soil | Spillages may penetrate the soil causing ground water contamination. Non-volatile. |
| 12.5 Results of PBT and vPvB Assessment | No PBT or vPvB chemicals present. |
| 12.6 Other Adverse Effects | None known. |

SECTION 13 DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods

Where possible, arrange for product to be recycled.

Dispose of via an authorised person/ licensed waste disposal contractor in accordance with local regulations.

Incineration may be carried out under controlled conditions provided that local regulations for emissions are met.

SECTION 14 TRANSPORT INFORMATION

Not classified as hazardous for transport (ADR, RID, UN , IMO, IATA/ICAO).

SECTION 15 REGULATORY INFORMATION

| | |
|-----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture | Supply regulations: DPD: Dangerous Preparations Directive; GHS: Globally Harmonised System of classification and labelling of chemicals; CLP: Classification, Labelling and Packaging regulations. Transport regulations: CDG: Carriage of Dangerous Goods regulations; ADR/RID/IMDG/ICAO/IATA regulations. |
| 15.2 Chemical Safety Assessment | No formal chemical safety assessment has been carried out. |

SECTION 16 OTHER INFORMATION

Second Issue

First Issue November 2013: Changed to new format

Full text of classification data in sections 2 and 3

| | |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| Acute Tox. 3; H301 | Acute toxicity, oral, Hazard Category 3; Toxic if swallowed |
| Acute Tox. 4; H302 | Acute toxicity, oral, Hazard Category 4; Harmful if swallowed |
| Acute Tox. 3; H311 | Acute toxicity, dermal, Hazard Category 3; Toxic in contact with skin |
| Acute Tox. 3; H331 | Acute toxicity, inhalation, Hazard Category 3; Toxic if inhaled |
| STOT RE 2; H373 | Specific target organ toxicity, repeated exposure, Hazard Category 2; Causes damage to organs through prolonged or repeated exposure |
| Skin Corr. 1C; H314 | Skin corrosion/irritation, Hazard Category 1; Causes severe skin burns and eye damage |
| Eye Dam. 1; H318 | Serious eye damage/eye irritation, Hazard Category 1; Causes serious eye damage |
| Met. Corr. 1; H290 | Corrosive to metals, Hazard Category 1; May be corrosive to metals |
| Eye Irrit. 2; H319 | Serious eye damage/eye irritation, Hazard Category 2; Causes serious eye irritation. |
| Skin Sens. 1; H317 | Sensitisation, Skin, Hazard Category 1; May cause an allergic skin reaction |
| Aquatic Acute 1; H400 | Hazardous to the aquatic environment, acute hazard, hazard Category 1; Very toxic to aquatic life |
| Aquatic Chronic 1; H410 | Hazardous to the aquatic environment, long term hazard, Hazard Category 1; Very toxic to aquatic life with long-lasting effects |
| Aquatic Chronic 2; H411 | Hazardous to the aquatic environment, long term hazard, Hazard Category 2; Toxic to aquatic life with long-lasting effects |
| Aquatic Chronic 3; H412 | Hazardous to the aquatic environment, long term hazard, Hazard Category 3; Harmful to aquatic life with long-lasting effects |



SAFETY DATA SHEET

Aquatic Chronic 4; H413

Hazardous to the aquatic environment, long term hazard, Hazard Category 4; May cause long lasting effects to aquatic life

Xn; R22
T; R23/24/25
C; R34
R33
Xi; R43
Xi; R36/38
Xi; R38
N; R50
N; R50/53
N; R51/53
R52/53
R53

Harmful if swallowed
Toxic by inhalation, in contact with skin and if swallowed
Causes burns
Danger of cumulative effects
May cause sensitisation by skin contact.
Irritating to eyes and skin
Irritating to skin
Very toxic to aquatic organisms
Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
May cause long-term adverse effects in the aquatic environment