



EXCELLENCE IN LUBRICANTS

AGRICULTURAL, PLANT, OFF
HIGHWAY, RAIL, MARINE &
GAS ENGINE

FLUIDS & LUBRICANTS



LUBRICANTS FOR ALL SECTORS

Contact your Area Sales Manager if you require one of the following brochures from our Lubricants and Fluids Range, alternatively visit www.exol-lubricants.com/downloads for an electronic copy.



STATEMENT OF QUALITY

Exol products are supported by O.E.M. approvals, acknowledgments and registrations and a quality guarantee of being of “parts of matching quality” under European Block Exemption Regulations.

These lubricants can be used for vehicle servicing without invalidating the vehicle or replacement parts warranty, providing the application is as given in the Exol Technical Data Sheet.

* Providing the lubricant specification required by the vehicle manufacturer is detailed on the product label or Technical Data Sheet.



AGRICULTURAL, PLANT & OFF HIGHWAY

The highly developed agricultural machinery in use in today's intensive farming environment needs the specialised protection afforded by Exol's range of agricultural lubricants. Exol's agricultural product range has been developed to satisfy the requirements of the latest specialised tractors through to older types of farming machinery and ancillary equipment.

Exol's off-highway range of lubricants and fluids encompasses a wide variety of sectors including construction, marine and forestry. The range includes specialised transmission fluids, marine specific engine oils, biodegradable lubricants and sophisticated greases.

Exol has a range of specialised products for use in the rail industry including heavy duty diesel engine oils, power transmission fluids and high quality greases. Exol's rail products are renowned for their long predictable service life and trouble-free operation.

Exol Lubricants is proud to produce and supply the highest quality products that have been approved by Original Equipment Manufacturers (OEMs), for full details please visit Exol's website and select Product Approvals.

Find the right oil for your vehicle with Exol's free online Which Oil look-up, visit www.exol-lubricants.com

Technical Data and Safety Data Sheets are available to view and download through Exol's website product pages.



CONTENTS

ENGINE OILS	4
UNIVERSAL OILS	5
GEAR & TRANSMISSION OILS	6-7
ANCILLARY PRODUCTS	8-10
GAS ENGINE OILS	10
HYDRAULIC OILS	11-12
MARINE OILS	13-14
RAIL OILS	14-15
GAS ENGINE OILS	15
GREASES	16-17
AGRICULTURAL GUIDE	18
FIND THE PERFECT OIL	19



TAURUS SHPD E9 15W-40 PREMIUM Low SAPS Engine Oil

ACEA E9, API CK-4, SM, CUMMINS 20081, MB 228.31, MAN M3575, MTU TYPE 2.1, RENAULT RVI APPROVED RLD-3, VOLVO APPROVED VDS-4, CATERPILLAR ECF-3, MACK APPROVED EO-O PREM PLUS

M408D117	20L
M408D00	25L
M408B01	205L
M408I00	1000L IBC
M408T50	BULK



TAURUS SHPD E9 10W-30 PREMIUM Low SAPS Engine Oil

ACEA E9, API CJ-4, SM, CUMMINS 20081, MB 228.31, MAN M3575, MTU TYPE 2.1, RENAULT RVI APPROVED RLD-3, VOLVO APPROVED VDS-4, CATERPILLAR ECF-3, MACK APPROVED EO-O PREM PLUS

M432D117	20L
M432D00	25L
M432B01	205L
M432I00	1000L IBC
M432T50	BULK



TAURUS EURO PLUS 10W-40 FULLY SYNTHETIC Low SAPS Engine Oil

ACEA E6, E9, E7, E4, API CJ-4, SCANIA LOW ASH, MERCEDES-BENZ MB 228.51, 228.31, MAN M3477, M3575, M3271-1, VOLVO VDS-4, VDS-3, RENAULT TRUCKS RLD-3, RLD-2, MTU TYPE 3.1, 2.1, CUMMINS CES 20081, CATERPILLAR ECF-3, DEUTZ DQC IV-10 LA, DQC III-10 LA, JASO DH-2, DETROIT DIESEL 93K218, MACK EO-O PREM PLUS, EO-N PREM PLUS, NEW HOLLAND MAT 3521

M443D117	20L
M443D00	25L
M443B01	205L
M443I00	1000L IBC
M443T50	BULK



TAURUS EURO 10W-40 FULLY SYNTHETIC Low SAPS Engine Oil

ACEA E6, E9, E7, API CI-4, JASO DH-2, MB-APPROVAL 228.51, RENAULT APPROVED RLD-2, RGD, RXD, MAN APPROVED M3477, M3271-1, VOLVO APPROVED VDS-3, MTU APPROVED TYPE 3.1, DAF EXTENDED DRAINS, CUMMINS CES 20076/77, MACK APPROVED EO-N, EO-M PLUS, DEUTZ DQC IV-10 LA, DQC III-10 LA, DQC III-10

M403S758	4 x 5L
M403D117	20L
M403D00	25L
M403B01	205L
M403I00	1000L IBC
M403T50	BULK



TAURUS FS 5W-40 FULLY SYNTHETIC Engine Oil

API CH-4, CF, SL, ACEA E2, A3/B3, A3/B4, VW 505.00, MB 229.1, MACK EO-L, MAN 271, MTU TYPE 1, VOLVO VDS

M488D117	20L
M488D00	25L
M488B01	205L
M488I00	1000L IBC
M488T50	BULK



TAURUS SHPD E7 15W-40 MINERAL Engine Oil

ACEA E7, A3/B3, A3/B4, API CI-4, CF, SL, MB 228.3, 229.1, CUMMINS APPROVED CES 20078, CES 20071/72/76/77, MAN M3275, MTU TYPE 2, MACK APPROVED EO-N, EO-M PLUS, VOLVO APPROVED VDS-3, RENAULT RVI APPROVED RLD-2, RLD, GLOBAL DHD-1, ZF TE-ML 04C/07C, CATERPILLAR ECF-2, ECF-1-A, ALLISON C4, DETROIT DIESEL DDC 93K215, JASO DH-1, DEUTZ DQC III-10

M363S726	4 x 5L
M363D117	20L
M363D00	25L
M363B01	205L
M363I00	1000L IBC
M363T50	BULK



OPTIGUARD 15W-40 MINERAL Engine Oil

ACEA A3/B3, A3/B4, E2, API SL/CH-4, CF, VW 505.00, MB 228.1, 229.1, MACK EO-L, MAN 271, MTU TYPE 1, VOLVO VDS

M099S505	15 x 1L
M099S705	4 x 5L
M099D117	20L
M099D00	25L
M099B01	205L
M099I00	1000L IBC
M099T50	BULK



OPTIFARM ULTRA SS 10W-40 SUPER UNIVERSAL Tractor Oil

STOU SPECIFICATIONS: MASSEY FERGUSON M1145, M1144 ZF TE-ML 03A, 06B, 06C, 07B, 07D UTTO SPECIFICATIONS: MASSEY FERGUSON M1145, M1143, JOHN DEERE J20C, FORD M2C134-D GEAR & TRANSMISSION SPECIFICATIONS: API GL-4, ALLISON C4, CATERPILLAR TO-2, AFNOR NFE 68603 E ENGINE SPECIFICATIONS: ACEA E3, API CG-4, CF-4, CF, CE/SF, MB 227.1, MAN 271, FORD M2C121-B, CCMC D4, MILITARY MIL-L-2104D

M427D117	20L
M427D00	25L
M427B01	205L
M427I00	1000L IBC
M427T50	BULK



OPTIFARM ULTRA 10W-30 SUPER UNIVERSAL Tractor Oil

ACEA E3, API CG-4, CF, GL-4, MASSEY FERGUSON APPROVED CMS M1145, M1144, M1143 JOHN DEERE J20C, J27, FORD M2C134-D, M2C159-B/C, M2C86-B, FNH 8200 9201, NEW HOLLAND NH 030C, NH 410B, NH 420A, ZF TE-ML 03A, 06B, 07B, 07D, CASE NEW HOLLAND MAT 3525, ALLISON C4, CATERPILLAR TO-2, AFNOR NFE 68603E, MB 227.1, CCMC D4, MILITARY MIL-L-2104D

M080S704	4 x 5L
M080D117	20L
M080D00	25L
M080B01	205L
M080I00	1000L IBC
M080T50	BULK



OPTIFARM ULTRA 15W-40 SUPER UNIVERSAL Tractor Oil

SUTO SPECIFICATIONS: MASSEY FERGUSON M1145, M1144, NEW HOLLAND NH024C, JOHN DEERE J27, ZF TE-ML 03A, 06B, 06C, 07B, 07D, UTTO SPECIFICATIONS: MASSEY FERGUSON M1145, M1143, FORD M2C134-D, GEAR & TRANSMISSION SPECIFICATIONS: API GL-4, ALLISON C4, CATERPILLAR TO-2, AFNOR NFE 68603 E, ENGINE SPECIFICATIONS: ACEA E3, API CG-4, CF-4, CF, CE/SF, MB 227.1, 228.1, MAN 271, FORD M2C121-B, CCMC D4, MILITARY MIL-L-2104D

M240D117	20L
M240D00	25L
M240B01	205L
M240I00	1000L IBC
M240T50	BULK



OPTIFARM MASTER 15W-30 SUPER UNIVERSAL Tractor Oil

API CE/SF, GL-4, CCMC D4/G2, MB 227.1, MASSEY FERGUSON M1139, M1135, M1127, FORD M2C 86A, 134B/C, 159B, ALLISON C4, JOHN DEERE J20A, ZF TE ML 06B, 06L, 07B, 07D, CATERPILLAR TO-2

M086S712	4 x 5L
M086D117	20L
M086D00	25L
M086B01	205L
M086I00	1000L IBC
M086T50	BULK



OPTIFARM UTTO UNIVERSAL (Dyed Red) Tractor Transmission Oil

API GL-4, JOHN DEERE J20C, J20A, MASSEY FERGUSON M1145, M1143, M1141, M1135, CASE MAT 3525, MS 1206, MS 1210, NEW HOLLAND NH 420A, NH 410B, VOLVO WB101, 97303, FORD ESN-M2C134-D, ESN-M2C86-B, ZF TE-ML 03E, 05F, 06K, 17E, 21F, KUBOTA UDT, ALLISON C-4, CATERPILLAR TO-2

A006D117	20L
A006D00	25L
A006B01	205L
A006I00	1000L IBC
A006T50	BULK



OPTIFARM UTTO UNIVERSAL (Undyed) Tractor Transmission Oil

API GL-4, JOHN DEERE J20C, J20A, MASSEY FERGUSON M1145, M1143, M1141, M1135, CASE MAT 3525, MS 1206, MS 1210, NEW HOLLAND NH 420A, NH 410B, VOLVO WB101, 97303, FORD ESN-M2C134-D, ESN-M2C86-B, ZF TE-ML 03E, 05F, 06K, 17E, 21F, KUBOTA UDT, ALLISON C-4, CATERPILLAR TO-2

A027S704	4 x 5L
A027D117	20L
A027D00	25L
A027B01	205L
A027I00	1000L IBC
A027T50	BULK



OPTIFARM LV UTTO UNIVERSAL Tractor Transmission Oil

API GL-4, VOLVO WB 102 (97304), WB 101 (97303), JOHN DEERE J20D, J20C, J20B, J20A, MASSEY FERGUSON M1145, M1143, M1141, M1135, CASE NEW HOLLAND MAT 3540, MAT 3526, MAT 3525, MAT 3505, CASE MS 1206, MS 1207, MS 1209, MS 1210, NEW HOLLAND NH 420A, NH 410B, ZF TE-ML 03E, 05F, 06K, 17E, KUBOTA SUPER UDT, UDT, VALTRA G2-08, ALLISON C-4, CATERPILLAR TO-2, FORD M2C134-D, M2C86-B, KOMATSU AX080

A048D117	20L
A048D00	25L
A048B01	205L
A048I00	1000L IBC
A048T50	BULK



ATHENA PROGEAR FS 75W-90 FULLY SYNTHETIC Gear Oil

API GL-4, GL-5
MULTIPLE MTF APPLICATIONS
SEE THE TECHNICAL DATA SHEET
FOR FULL LIST OF APPLICATIONS

G159S515	15 x 1L
G159S715	4 x 5L
G159D117	20L
G159D00	25L
G159B01	205L
G159I00	1000L IBC
G159T50	BULK



ATHENA PROGEAR SS 75W-90 SEMI-SYNTHETIC Gear Oil

API GL-4, GL-5

G160S515	15 x 1L
G160S715	4 x 5L
G160D117	20L
G160D00	25L
G160B01	205L
G160I00	1000L IBC
G160T50	BULK



ATHENA PROGEAR HD 80W-90 MINERAL Gear Oil

API GL-4, GL-5

G014S534	15 x 1L
G014S734	4 x 5L
G014D117	20L
G014D00	25L
G014B01	205L
G014I00	1000L IBC
G014T50	BULK



ATHENA PROGEAR HD 85W-140 MINERAL Gear Oil

API GL-4, GL-5

G017D117	20L
G017D00	25L
G017B01	205L
G017I00	1000L IBC
G017T50	BULK



ATHENA PROGEAR LS 90 MINERAL LIMITED SLIP Gear Oil

API GL-5

G018D117	20L
G018D00	25L
G018B01	205L
G018I00	1000L IBC
G018T50	BULK



ATHENA PROGEAR LS 80W-90 MINERAL LIMITED SLIP Gear Oil

API GL-5

G104S535	15 x 1L
G104S704	4 x 5L
G104D117	20L
G104D00	25L
G104B01	205L
G104I00	1000L IBC
G104T50	BULK



ATHENA PROGEAR LS 85W-140 MINERAL LIMITED SLIP Gear Oil

API GL-5

G127D117	20L
G127D00	25L
G127B01	205L
G127I00	1000L IBC
G127T50	BULK



AUTOTRANS D III SEMI SYNTHETIC Automatic Transmission Fluid

GM DEXRON® IIIH, DEXRON® IIIG,
DEXRON® IID, TASA,
FORD MERCON®, MAN 339F, 339 V1 &
Z1, 339 V2 & Z2, VOITH H55.6335.
SEE THE TECHNICAL DATA SHEET FOR
THE FULL LIST OF APPLICATIONS.

A020S572	15 x 1L
A020S772	4 x 5L
A020D117	20L
A020D00	25L
A020B01	205L
A020I00	1000L IBC
A020T50	BULK



AUTOTRANS UNIVERSAL D II MINERAL Automatic Transmission Fluid

GM DEXRON® IID,
FORD MERCON®, M2C-166H,
M2C-138CJ, ALLISON C-4,
CATERPILLAR TO-2, MB 236.1, 236.7.
SEE THE TECHNICAL DATA SHEET FOR
THE FULL LIST OF APPLICATIONS.

A009S516	15 x 1L
A009S716	4 x 5L
A009D117	20L
A009D00	25L
A009B01	205L
A009I00	1000L IBC
A009T50	BULK



AUTOTRANS G MINERAL Transmission Fluid

FORD M2C33G, M2C33F

A002D117	20L
A002D00	25L
A002B01	205L
A002I00	1000L IBC
A002T50	BULK



TRANSMISSION TO-4 SAE 10W MINERAL Transmission Fluid

CATERPILLAR TO-4, ALLISON C4,
API MT-1, KOMATSU KES
07.868.1, ZF TE-ML 03C

A012D117	20L
A012D00	25L
A012B01	250L
A012I00	1000L IBC
A012T50	BULK



TRANSMISSION TO-4 SAE 30 MINERAL Transmission Fluid

CATERPILLAR TO-4, ALLISON C4, API
MT-1, KOMATSU KES 07.868.1, ZF
TE-ML 03C, 07F

A014D117	20L
A014D00	25L
A014B01	205L
A014I00	1000L IBC
A014T50	BULK



TRANSMISSION TO-4 SAE 50 MINERAL Transmission Fluid

CATERPILLAR TO-4, ALLISON C4,
API MT-1, KOMATSU KES
07.868.1

A016D117	20L
A016D00	25L
A016B01	205L
A016I00	1000L IBC
A016T50	BULK

ASK THE EXPERTS

Contact Exol for any issues or technical help.
No matter what the question, our team are here to help.
Use the following communication lines:



+44(0)121 568 6800

hello@exol-lubricants.com

www.exol-lubricants.com



OPTIFARM MILKING MACHINE OIL MINERAL OIL Based Oil

ISO VG 100

	15 x 1L
L046S726	4 x 5L
L046D117	20L
L046D00	25L
L046B01	205L



OPTIFARM CHAINSAW OIL MINERAL OIL Based Oil

ISO VG 100

	15 x 1L
L047S535	4 x 5L
L047D117	20L
L047D00	25L
L047B01	205L



OPTIFARM HEAVY CHAINSAW OIL MINERAL OIL Based Oil

ISO VG 220

	15 x 1L
L048S525	4 x 5L
L048D117	20L
L048D00	25L
L048B01	205L



OPTIFARM LAWNMOWER OIL MINERAL Engine Oil

API SE/CC

	15 x 1L
M508S535	4 x 5L
M508S704	20L
M508D117	25L
M508D00	205L
M508B01	



OPTIMA 2 STROKE MINERAL Two Stroke Oil

JASO FB, ISO-L-EGB, API TC

	15 x 1L
M095S522	4 x 5L
M095S722	20L
M095D117	25L
M095D00	205L
M095B01	



OPTIMA SUPER 2 STROKE SEMI SYNTHETIC Two Stroke Oil

JASO FD, ISO-L-EGD, API TC

	24 x 100ml
M222S100	15 x 1L
M222S535	4 x 5L
M222S704	20L
M222D117	25L
M222D00	205L
M222B01	



ULTRAMAX BRAKE FLUID DOT 4 SYNTHETIC Hydraulic Brake Fluid

US FM VSS 116 DOT 4, US FM VSS 116 DOT 3, SAE J1703, J1704, ISO 4925 (CLASSES 3 & 4)

	24 x 250ml
H053SS436	25 x 500ml
H053SS435	15 x 1L
H053S535	4 x 5L
H053S735	20L
H053D117	



ULTRAMAX LHM FLUID PLUS MINERAL Hydraulic Brake Fluid

ISO 7308, PSA B71 2710, NEW HOLLAND NH-610A, FORD M6C59-A

	15 x 1L
H104S518	4 x 5L
H104D117	20L
H104D00	25L
H104B01	205L



ROCKDRILL 220 MINERAL

Pneumatic Tool Oil

ISO VG 220

	15 x 1L
	4 x 5L
L091D117	20L
L091D00	25L
L091B01	205L



ROCKDRILL 100 MINERAL

Pneumatic Tool Oil

ISO VG 100

	15 x 1L
	4 x 5L
L129D117	20L
L129D00	25L
L129B01	205L



OPTICOOOL ANTIFREEZE RED

Organic Acid Technology (OAT)

ASTM D3306, ASTM D 4985, SAE J 1034, BS 6580: 2010, AFNOR NF R15-601*, FFV Heft R443, CUNA NC 956-16, UNE 26361 – 88, JIS K 2234*, NATO S 759
(* with the exception of reserve alkalinity)

D017S535	15 x 1L
D017S704	4 x 5L
D017D117	20L
D017D00	25L
D017B01	205L
D017I00	1000L IBC



OPTICOOOL ANTIFREEZE RED 50%

Organic Acid Technology (OAT)

ASTM D3306, ASTM D 4985, SAE J 1034, BS 6580: 2010, AFNOR NF R15-601*, FFV Heft R443, CUNA NC 956-16, UNE 26361 – 88, JIS K 2234*, NATO S 759
(* with the exception of reserve alkalinity)

	15 x 1L
	4 x 5L
D020D117	20L
D020D00	25L
D020B01	205L
D020I00	1000L IBC



OPTICOOOL ANTIFREEZE BLUE

Inorganic Acid Technology (IAT)

ASTM D 3306, ASTM D 4985, SAE J 1034, BS 6580: 2010

D001S564	15 x 1L
D001S704	4 x 5L
D001D117	20L
D001D00	25L
D001B01	205L
D001I00	1000L IBC



OPTICOOOL ANTIFREEZE BLUE 50%

Inorganic Acid Technology (IAT)

ASTM D 3306, ASTM D 4985, SAE J 1034, BS 6580: 2010

	15 x 1L
	4 x 5L
D021D117	20L
D021D00	25L
D021B01	205L
D021I00	1000L IBC



OPTICOOOL ANTIFREEZE HD (GREEN)

OAT + Borate, Silicate, Nitrite (Hybrid)

ASTM D 3306, ASTM D 4985, ASTM D 6210, SAE J 1034, BS 6580 (2010), AFNOR NF R15-601, JIS K2234. MAN 324, Cummins ES14603, Leyland, Fiat / Iveco, BR 637, Perkins, John Deere (See Technical Data Sheet for further information)

D027S535	15 x 1L
D027S704	4 x 5L
D027D117	20L
D027D00	25L
D027B01	205L
D027I00	1000L IBC



OPTICOOOL ANTIFREEZE HDX (BLUE/GREEN)

OAT + Borate, Silicate (Nitrite Free Hybrid)

ASTM D 3306, ASTM D 4985, SAE J 1034, BS 6580, AFNOR NF R15-601, JIS K2234, and the performance requirements of ASTM D 6210 (See Technical Data Sheet for further information)

D031S535	15 x 1L
D031S704	4 x 5L
D031D117	20L
D031D00	25L
D031B01	205L
D031I00	1000L IBC



OPTICOOOL ANTIFREEZE SOAT (LILAC)

OAT + Silicate (Si-OAT)

ASTM D 3306, ASTM D 4985, SAE J 1034, AFNOR NF R15-601*, CUNA NC 956-16, UNE 26361-88, JIS K 2234*, NATO S 759, BS 6580 (2010), VAG TL 774 G

(* with the exception of reserve alkalinity)
(See Technical Data Sheet for further information)

D032S535	15 x 1L
D032S704	4 x 5L
D032D117	20L
D032D00	25L
D032B01	205L
D032I00	1000L IBC



OPTICOOOL ANTIFREEZE YELLOW

Monoethylene Glycol based OAT

ASTM D 3306, ASTM D 4985, SAE J 1034, BS 6580: 2010, AFNOR NF R15-601*, FFV Heft R443, CUNA NC 956-16, UNE 26361-88, JIS K 2234*, NATO S 759

(* with the exception of reserve alkalinity)
(See Technical Data Sheet for further information)

	15 x 1L
	4 x 5L
D039D117	20L
D039D00	25L
D039B01	205L
D039I00	1000L IBC



OPTICOOOL ANTIFREEZE UNIVERSAL (CLEAR)

OAT (Universal Top Up Coolant)

ASTM D 3306, ASTM D 4985, SAE J 1034, AFNOR NF R15-601*, BS 6580, CUNA NC 956-16, UNE 26361-88, JIS K 2234 *, NATO S 759

(* with the exception of reserve alkalinity)
(See Technical Data Sheet for further information)

D033S535	15 x 1L
D033S704	4 x 5L
D033D117	20L
D033D00	25L
D033B01	205L
D033I00	1000L IBC



EXCEL DELTA DEGREASER

Solvent Based Cleaner

	15 x 1L
	4 x 5L
D002D117	20L
D002D00	25L
D002B01	205L



EXCEL FLEETWASH

Traffic Film Remover

	15 x 1L
	4 x 5L
D003D117	20L
D003D00	25L
D003B01	205L



GEAR & TRANSMISSION OILS

Exol offer a comprehensive range of Gear & Transmission oils for the Automotive and Commercial sectors. Contact your Account Manager if you require a brochure, or alternatively visit www.exol-lubricants.com/downloads for an electronic copy.



ULTRAMAX 32 MINERAL Hydraulic Oil

DIN 51524 PART 2, CATEGORY HLP,
ISO 6743/4, CATEGORY HM, DENISON
HF-2, TP-02100 FILTERABILITY TEST,
SPERRY VICKERS M-2950-S, I-286-S,
AFNOR NF E 48-600, THYSSSEN TH
N-256132, US STEEL 127,
SEB 181.222, VDMA 24318

H006S719	4 x 5L
H006D117	20L
H006D00	25L
H006B01	205L
H006I00	1000L IBC
H006T50	BULK



ULTRAMAX 46 MINERAL Hydraulic Oil

DIN 51524 PART 2, CATEGORY HLP,
ISO 6743/4, CATEGORY HM, DENISON
HF-2, TP-02100 FILTERABILITY TEST,
SPERRY VICKERS M-2950-S, I-286-S,
AFNOR NF E 48-600, THYSSSEN TH
N-256132, US STEEL 127,
SEB 181.222, VDMA 24318

H008S720	4 x 5L
H008D117	20L
H008D00	25L
H008B01	205L
H008I00	1000L IBC
H008T50	BULK



ULTRAMAX 68 MINERAL Hydraulic Oil

DIN 51524 PART 2, CATEGORY HLP,
ISO 6743/4, CATEGORY HM, DENISON
HF-2, TP-02100 FILTERABILITY TEST,
SPERRY VICKERS M-2950-S, I-286-S,
AFNOR NF E 48-600, THYSSSEN TH
N-256132, US STEEL 127,
SEB 181.222, VDMA 24318

H009D117	20L
H009D00	25L
H009B01	205L
H009I00	1000L IBC
H009T50	BULK



ULTRAMAX MG 32 MINERAL HVI Hydraulic Oil

DIN 51524 PART 3 CATEGORY HVLP,
DIN 51517 PART 2, ISO 6743/4
CATEGORY HV, SPERRY VICKERS
M-2950-S & I-286-S

H015D117	20L
H015D00	25L
H015B01	205L
H015I00	1000L IBC
H015T50	BULK



ULTRAMAX MG 46 MINERAL HVI Hydraulic Oil

DIN 51524 PART 3 CATEGORY HVLP,
DIN 51517 PART 2, ISO 6743/4
CATEGORY HV, SPERRY VICKERS
M-2950-S & I-286-S

H017S704	4 x 5L
H017D117	20L
H017D00	25L
H017B01	205L
H017I00	1000L IBC
H017T50	BULK



ULTRAMAX MG 46 (BLUE) MINERAL HVI Hydraulic Oil

DIN 51524 PART 3 CATEGORY HVLP,
DIN 51517 PART 2, ISO 6743/4
CATEGORY HV, SPERRY VICKERS
M-2950-S & I-286-S, CASE-POCLAIN
P10032-79V

H076D117	20L
H076D00	25L
H076B01	205L
H076I00	1000L IBC
H076T50	BULK



ULTRAMAX MG 68 MINERAL HVI Hydraulic Oil

DIN 51524 PART 3 CATEGORY HVLP,
DIN 51517 PART 2, ISO 6743/4
CATEGORY HV, SPERRY VICKERS
M-2950-S & I-286-S

H018D117	20L
H018D00	25L
H018B01	205L
H018I00	1000L IBC
H018T50	BULK



ULTRAMAX BD 32 BIODEGRADABLE Hydraulic Fluid

BIODEGRADABILITY > 98%
(CEC-L-33-T-82)

H084D117	20L
H084D00	25L
H084B01	205L
H084I00	1000L IBC
H084T50	BULK



ULTRAMAX BD 46 BIODEGRADABLE Hydraulic Fluid

BIODEGRADABILITY > 98%
(CEC-L-33-T-82)

H046D117	20L
H046D00	25L
H046B01	205L
H046I00	1000L IBC
H046T50	BULK



ULTRAMAX BD 68 BIODEGRADABLE Hydraulic Fluid

BIODEGRADABILITY > 98%
(CEC-L-33-T-82)

H197D117	20L
H197D00	25L
H197B01	205L
H197I00	1000L IBC
H197T50	BULK



ULTRAMAX SE46 BIODEGRADABLE Hydraulic Fluid

EUROPEAN ECOLABEL, ISO 15380
HEES, SWEDISH STANDARD SS 15 54
34, DENISON HF-2, HF-6, MEETS
THE REQUIREMENTS OF
STANDARDS OECD 201, 202 & 203
FOR ECOTOXICITY AND OECD 301B
FOR BIODEGRADABILITY

H193D117	20L
H193D00	25L
H193B01	205L
H193I00	1000L IBC
H193T50	BULK



ULTRAMAX AF 32 MINERAL Zinc Free Hydraulic Oil

DIN 51524 PART 2, ISO 11158,
ASTM D6158, SAE MS 1004, EATON
35VQ25, AFNOR NFE 48603(HM),
BOSCH REXROTH RE 90220, GM LS-2
(ISO 22 - 68), SPERRY VICKERS I-286-S,
DENISON HF-0, HF-1 & HF-2,
CINNATI MILACRON P-68 (ISO 32),
P-70 (ISO 46), & P-69 (ISO 68)

H022D117	20L
H022D00	25L
H022B01	205L
H022I00	1000L IBC
H022T50	BULK

ULTRAMAX

The Ultramax range of hydraulic fluids is manufactured from highly refined base stocks which possess good oxidation resistance and thermal stability. They are fortified with carefully selected additives to further improve performance characteristics including anti-corrosion to protect the system should water be present, anti-wear to reduce wear in pumps used in hydraulic systems, anti-oxidants and anti-foam.

ULTRAMAX benefits:

- Incorporates inhibitors for protection against all forms of corrosion
- Good anti-foaming and air release properties
- Good demulsification characteristics
- Excellent anti-wear performance
- High oxidation resistance and thermal stability

ULTRAMAX MG (HVI) benefits:

- High viscosity index
- Excellent low temperature performance
- Incorporates inhibitors for protection against all forms of corrosion
- Highly shear stable providing stay-in-grade performance
- Good anti-foaming and air release properties
- Rapid water separation
- Exceptional anti-wear performance
- High oxidation resistance and thermal stability

ULTRAMAX BD (biodegradable vegetable ester) benefits:

- Very high level of biodegradability
- High oxidation stability
- Extended drain intervals
- Environmentally friendly

Applications:

The Ultramax range of hydraulic oils is suitable for a wide variety of applications. These include industrial hydraulic systems, agricultural and plant equipment, mobile units such as jacks, lightly loaded gears and many others.



OPTIMA MARINE 153 MINERAL Engine Oil

API CF

M057D117	20L
M057D00	25L
M057B01	205L
M057I00	1000L IBC
M057T50	BULK



OPTIMA MARINE 154 MINERAL Engine Oil

API CF

M389D117	20L
M389D00	25L
M389B01	205L
M389I00	1000L IBC
M389T50	BULK



OPTIMA MARINE E7 15W-40 MINERAL Engine Oil

ACEA E7, A3/B3, A3/B4, API CI-4, CF, SL, MB 228.3, 229.1, CUMMINS CES 20078, CES 20071/72/76/77, MAN M3275, MTU TYPE 2, MACK EO-N, EO-M PLUS, VOLVO VDS-3, RENAULT RVI RLD-2, RLD, GLOBAL DHD-1, ZF TE-ML 04C/07C, CATERPILLAR ECF-2, ECF-1-A, ALLISON C4, DETROIT DIESEL DDC 93K215, JASO DH-1, DEUTZ DQC III-10

M470D117	20L
M470D00	25L
M470B01	205L
M470I00	1000L IBC
M470T50	BULK



OPTIMA MARINE STERN TUBE OIL 680 MINERAL OIL Based Oil

ISO VG 680

L299D117	20L
L299D00	25L
L299B01	205L
L299I00	1000L IBC
L299T50	BULK



OPTIMA MARINE 2 STROKE MINERAL Two Stroke Oil

NMMA TC-W3, API TD

M154D117	20L
M154D00	25L
M154B01	205L
M154I00	1000L IBC
M154T50	BULK

TANK MONITORING SYSTEM



Our new Tank Monitoring system allows customers with bulk containers to monitor volume more efficiently.

The system's central, secure databases communicate with remote transmitters using mobile and internet networks. Exol's new system puts customers in complete control while offering a vast range of beneficial features including 24/7 monitoring, increasing traceability and improving stock check.

A high-tech alarm and innovative monitoring equipment is fitted to the tank with the remote monitoring technology informing the customer when the tank needs to be emptied or filled after reaching a set level. Email or text alerts are also available, notifying the customer with consumption.

The sensor is compatible with a range of telematic platforms, enabling you to receive important data from the platform that best suits your requirements. Essential carbon and energy reporting is also provided, including Carbon Reduction Credits and DECC calculations, helping you comply with environmental regulations.

The new sensors allow customers to take control of their assets while offering a monitoring solution with complete visibility, highlighting our commitment to providing added value in all areas of business.



TAURUS EXTREME M3 10W-40 SYNTHETIC Engine Oil

ACEA E4, E7, API CI-4, CF, MTU APPROVED TYPE 3, VOLVO VDS-3, RENAULT RXD, RLD-2, RLD, MB 228.5, MAN M3277, M3277, CUMMINS 20077/78, MACK EO-N, EO-M PLUS, CATERPILLAR ECF-1A, DEUTZ DQC IV-10

M401D117	20L
M401D00	25L
M401B01	205L
H401I00	1000L IBC
H401T50	BULK



TAURUS EXTREME HST 15W-40 MINERAL Engine Oil

ACEA E7, API CI-4, CF, SL, MTU APPROVED TYPE 2, VOLVO APPROVED VDS-3, MERCEDES BENZ MB 228.3, MAN M3275, CUMMINS CES 20076/77/78, CATERPILLAR ECF-2, ECF-1-A, RENAULT APPROVED RLD-2, RLD, DEUTZ DQC III-10, GLOBAL DHD-1, DETROIT DIESEL DDC 93K215, MACK APPROVED EO-N, EO-M PLUS

M445D117	20L
M445D00	25L
M445B01	205L
M445I00	1000L IBC
M445T50	BULK



TAURUS SHPD E5 15W-40 MINERAL Engine Oil

ACEA E5, B4, B3, A2, API CH-4, SL, MB 228.3, MAN M3275, CUMMINS 20071/72/76/77, VOLVO VDS-3, MACK EO-M PLUS, RENAULT RVI RLD, GLOBAL DHD-1, MTU TYPE 2

M266D117	20L
M266D00	25L
M266B01	205L
M266I00	1000L IBC
M266T50	BULK



EXCELMOTIVE ZF G7 ULTRA 20W-40 ZINC FREE Engine Oil

LMOA GENERATION 7, EMD APPROVED, GE APPROVED

M504D117	20L
M504D00	25L
M504B01	205L
M504I00	1000L IBC
M504T50	BULK



EXCELMOTIVE ZF 20W-40 ZINC FREE Engine Oil

LMOA GENERATION 5, EMD APPROVED, GE APPROVED

M375D117	20L
M375D00	25L
M375B01	205L
M375I00	1000L IBC
M375T50	BULK



MICRON BR CR 68 Lubricating Oil

BR 665

L020D117	20L
L020D00	25L
L020B01	205L
L020I00	1000L IBC
L020T50	BULK



MICRON BR M 46 Lubricating Oil

BR 664

L052D117	20L
L052D00	25L
L052B01	205L
L052I00	1000L IBC
L052T50	BULK



MICRON BR MP 46 Lubricating Oil

BR 663

L022D117	20L
L022D00	25L
L022B01	205L
L022I00	1000L IBC
L022T50	BULK



MICRON BR MO 68 Lubricating Oil

BR 663

L023D117	20L
L023D00	25L
L023B01	205L
L023I00	1000L IBC
L023T50	BULK



MICRON BR MO 100 Lubricating Oil

BR 663

L024D117	20L
L024D00	25L
L024B01	205L
L024I00	1000L IBC
L024T50	BULK



MICRON BR MO 150 Lubricating Oil

BR 663

L025D117	20L
L025D00	25L
L025B01	205L
L025I00	1000L IBC
L025T50	BULK

GAS ENGINE OILS



TAURUS GEO G240 PREMIUM Gas Engine Oil

API CF, MWM APPROVED
SEE THE TECHNICAL DATA SHEET FOR
THE FULL LIST OF APPLICATIONS.

	15 x 1L
	4 x 5L
M448D117	20L
M448D00	25L
M448B01	205L
M448I00	1000L IBC
M448T50	BULK



TAURUS GEO LFG 240 PREMIUM Gas Engine Oil

API CF, GE-JENBACHER ENGINE TYPES 2 & 3.
SEE THE TECHNICAL DATA SHEET FOR
THE FULL LIST OF APPLICATIONS.

	15 x 1L
	4 x 5L
M465D117	20L
M465D00	25L
M465B01	205L
M465I00	1000L IBC
M465T50	BULK



TAURUS GEO MAG 240 PREMIUM Gas Engine Oil

GE-JENBACHER ENGINE TYPES 2, 3.
SEE THE TECHNICAL DATA SHEET FOR
THE FULL LIST OF APPLICATIONS.

	15 x 1L
	4 x 5L
M475D117	20L
M475D00	25L
M475B01	205L
M475I00	1000L IBC
M475T50	BULK



LIBRA EP2 MULTI PURPOSE Lithium Grease

NLGI 2

Z005K16	CART 400g
Z005K11L	LS CART 400g
	SCREW CART 500g
Z005K15	TIN 500g
Z005K13	3KG
Z005K10	12.5KG
Z005K04	50KG
Z005K01	180KG



LITHIUM COMPLEX Lithium Complex Grease

NLGI 2

Z011K16	CART 400g
Z011K11L	LS CART 400g
	SCREW CART 500g
	TIN 500g
Z011K13	3KG
Z011K10	12.5KG
Z011K04	50KG
Z011K01	180KG



BLUE LITHIUM COMPLEX Lithium Complex Grease

NLGI 2

Z074K16	CART 400g
	LS CART 400g
	SCREW CART 500g
	TIN 500g
Z074K13	3KG
Z074K10	12.5KG
Z074K04	50KG
Z074K01	180KG



LIBRA 000EP Semi Fluid Lithium Grease

NLGI 000

	CART 400g
	LS CART 400g
	SCREW CART 500g
	TIN 500g
Z001K13	3KG
Z001K10	12.5KG
Z001K04	50KG
Z001K01	180KG



LIBRA 00EP Semi Fluid Lithium Grease

NLGI 00

	CART 400g
	LS CART 400g
	SCREW CART 500g
	TIN 500g
Z002K13	3KG
Z002K10	12.5KG
Z002K04	50KG
Z002K01	180KG



FIFTH WHEEL GREASE Adhesive Grease With Solid Lubricants

NLGI 2.5

Z030K16	CART 400g
	LS CART 400g
	SCREW CART 500g
	TIN 500g
	3KG
Z030K10	12.5KG
Z030K04	50KG
	180KG



COPPER GREASE Anti-Seize Compound

NLGI 2

	CART 400g
	LS CART 400g
	SCREW CART 500g
	TIN 500g
Z010K15	3KG
Z010K13	12.5KG
Z010K10	50KG
Z010K04	180KG



HAMMER GREASE Adhesive Grease With Solid Lubricants

NLGI 2.5

	CART 400g
	LS CART 400g
	SCREW CART 500g
	TIN 500g
Z055K13	3KG
Z055K10	12.5KG
Z055K04	50KG
	180KG



BOOM GREASE LITHIUM COMPLEX Grease With PTFE

NLGI 2.5

Z111K16	CART 400g
	LS CART 400g
	SCREW CART 500g
	TIN 500g
Z111K13	3KG
Z111K10	12.5KG
Z111K04	50KG
Z111K01	180KG



WIRE ROPE LUBE SEMI-FLUID Grease With Molybdenum Disulphide

NLGI 00

	CART 400g
	LS CART 400g
	SCREW CART 500g
	TIN 500g
	3KG
Z051K10	12.5KG
Z051K31	50KG
	180KG



CALGRAPH 2 CALCIUM GREASE With Graphite

NLGI 2

Z013K16	CART 400g
	LS CART 400g
	SCREW CART 500g
	TIN 500g
	3KG
Z013K13	12.5KG
Z013K10	50KG
Z013K14	180KG



A BLEND Semi Fluid Calcium Grease

NLGI 0 - 00, BR CAT. NO. 27/4332

	CART 400g
	LS CART 400g
	SCREW CART 500g
	TIN 500g
	3KG
Z083K13	12.5KG
Z083K10	50KG
Z002K43	180KG



LIBRA XL EP-2 MULTI PURPOSE Lithium Grease - 500g Screw Cartridge

NLGI 2

	CART 400g
	LS CART 400g
Z107K15	SCREW CART 500g
	TIN 500g
	3KG
	12.5KG
	50KG
	180KG



LITHIUM XL COMPLEX HD 2.5 Water Resistant Heavy Duty Grease 500g Screw Cartridge

NLGI 2.5

	CART 400g
	LS CART 400g
Z108K15	SCREW CART 500g
	TIN 500g
	3KG
	12.5KG
	50KG
	180KG



LITHIUM XL COMPLEX LITHIUM Grease With Molybdenum Disulphide 500g Screw Cartridge

NLGI 2

	CART 400g
	LS CART 400g
Z109K15	SCREW CART 500g
	TIN 500g
	3KG
	12.5KG
	50KG
	180KG



LIBRA MOLY XL EP2 HEAVY DUTY Lithium Complex Grease 500g Screw Cartridge

NLGI 2

	CART 400g
	LS CART 400g
Z110K15	SCREW CART 500g
	TIN 500g
	3KG
	12.5KG
	50KG
	180KG

MANUFACTURER	SPECIFICATION	EXOL RECOMMENDATION
Case	MS 1206	Optifarm UTTO
	MS 1207	Optifarm LV UTTO
	MS 1209	Optifarm LV UTTO
	MS 1210	Optifarm UTTO
	MAT 3525	Optifarm UTTO
	MAT 3526	Optifarm LV UTTO
	MAT 3540	Optifarm LV UTTO
Ford	M2C159-B & -C	Optifarm Ultra 10W-30
	M2C86-B	Optifarm UTTO
	M2C134-D	Optifarm UTTO
John Deere	J27	Optifarm Ultra 10W-30
	J20C	Optifarm UTTO
	J20D	Optifarm LV UTTO
Kubota	UDT	Optifarm UTTO
	Super UDT	Optifarm LV UTTO
Massey Fergusson	M1127	Optifarm Master 15W-30
	M1135	Optifarm UTTO
	M1139	Optifarm Master 15W-30
	M1141	Optifarm UTTO
	M1143	Optifarm UTTO
	M1144	Optifarm Ultra 10W-30
	M1145 (older models)	Optifarm UTTO
	M1145 (new 10W-40 requirement)	Optifarm Ultra SS 10W-40
New Holland	NH 410B	Optifarm UTTO
	NH 420A	Optifarm UTTO
Valtra	XT60 (G2-08)	Optifarm LV UTTO
Volvo	WB101 (97303)	Optifarm UTTO
	WB102 (97304)	Optifarm LV UTTO
Engine	ACEA E9	Taurus SHPD E9 grades
	ACEA E6	Taurus Euro 10W-40
	ACEA E7	Taurus SHPD E7 15W-40
	API CI-4	Taurus SHPD E7 15W-40
	API CJ-4	Taurus SHPD E9 grades
	API CK-4	Taurus SHPD E9 15W-40

HOW TO FIND THE PERFECT OIL

To ensure you are picking the correct oil for your vehicle, Exol's Oil checker couldn't be easier:

www.exol-lubricants.com/oil-check

Simply enter your vehicle details

User Friendly on-screen instructions

Safe in the knowledge you have the correct information



Simply enter the details of your plant, vehicle or equipment and we'll do the rest. We can then provide you with an overview of the optimum lubricants for your vehicle.



EXOL LUBRICANTS LIMITED

All Saints Road, Wednesbury, West Midlands, WS10 9LL, United Kingdom

T: + (0) 121 5686800

F: + (0) 121 5686720

www.exol-lubricants.com

 **MADE IN ENGLAND**

