



***AUTOMOTIVE & COMMERCIAL
GEAR & TRANSMISSION***

FLUIDS & LUBRICANTS



EXCELLENCE IN LUBRICANTS



40 YEARS OF EXCELLENCE

**Proudly manufacturing
lubricants in the UK
since 1984.**

LUBRICANTS FOR ALL SECTORS

Contact your Area Sales Manager if you require one of the following brochures from our Lubricants and Fluids Range, alternatively visit www.exol-lubricants.com/downloads for an electronic copy.



STATEMENT OF QUALITY

Exol products are supported by O.E.M. approvals, acknowledgments and registrations and a quality guarantee of being of “parts of matching quality” under European Block Exemption Regulations.

These lubricants can be used for vehicle servicing without invalidating the vehicle or replacement parts warranty, providing the application is as given in the Exol Technical Data Sheet.



* Providing the lubricant specification required by the vehicle manufacturer is detailed on the product label or Technical Data Sheet.

AUTOMOTIVE & COMMERCIAL GEAR & TRANSMISSION



Exol's comprehensive range of automotive and commercial gear and transmission lubricants combine a high level of protection with long, trouble free service life. The range includes premium grade fully synthetic, robust semi synthetic and mineral oil based grades for manual and automatic transmissions.

Exol Lubricants is proud to produce and supply the highest quality products that have been approved by Original Equipment Manufacturers (OEMs), for full details please visit Exol's website and select Product Approvals.

Find the right oil for your vehicle with Exol's free online Which Oil look-up, visit www.exol-lubricants.com

Technical Data and Safety Data Sheets are available to view and download through Exol's website product pages.

EXCELLENCE IN LUBRICANTS



CONTENTS

FULLY SYNTHETIC GEAR OILS	4
SEMI SYNTHETIC GEAR OILS	5
MINERAL GEAR OILS	6 - 8
AUTOMATIC TRANSMISSION FLUIDS	9 - 10
TECHNOLOGY THAT WORKS FOR YOU	11



ATHENA EPZ FS 75W-80 FULLY SYNTHETIC Gear Oil

API GL-4, ZF TE-ML 01L, 02L, 08, 16K, 02A, 02B, 02D, 02E, MAN 341 TYPE Z-4, Z-3, Z-2, Z-1, 341 TYPE E-3, E-2, E-1, 341 ML, 341 N, VOLVO 97305, 97307, MB 235.4, EATON EUROPE 300,000 KM OR 3 YEARS, MILITARY MIL-L-2105

G157D117	20L
G157D00	25L
G157B77	205L
G157I00	1000L IBC
G157T50	BULK



ATHENA MULTIGEAR MTF LV FULLY SYNTHETIC Gear Oil

API GL-4, BMW MTF LT-3, FIAT 9.55550-MZ6, FORD M2C200-D2, M2C200-D3, M2C200-E1, GM 19259104, 19259105, 1940004, NISSAN SPECIAL GEAR OIL NISSAN LV MT-1, PSA SPECIAL PSA FLUID PART NO. 1618078480, SPECIAL PSA GEAR OIL 9730 A8, VW G 052 171, G 052 178, G 052 512, G 052 527, G 052 726, G 052 798, G 055 512, G 060 726
SEE THE TECHNICAL DATA SHEET FOR FULL LIST OF APPLICATIONS

G173D117	20L
G173D00	25L
G173B77	205L
G173I00	1000L IBC
G173T50	BULK



ATHENA PROGEAR MBFS 75W-90 FULLY SYNTHETIC Gear Oil

API GL-4, MB 235.11

G166D117	20L
G166D00	25L
G166B77	205L
G166I00	1000L IBC
G166T50	BULK



ATHENA MULTIGEAR 75W FULLY SYNTHETIC Gear Oil

API GL-4
MULTIPLE MTF APPLICATIONS
SEE THE TECHNICAL DATA SHEET FOR FULL LIST OF APPLICATIONS

G167D117	20L
G167D00	25L
G167B77	205L
G167I00	1000L IBC
G167T50	BULK



ATHENA PROGEAR FS 75W-80 FULLY SYNTHETIC Gear Oil

API GL-4
MULTIPLE MTF APPLICATIONS
SEE THE TECHNICAL DATA SHEET FOR FULL LIST OF APPLICATIONS

G174D117	20L
G174D00	25L
G174B77	205L
G174I00	1000L IBC
G174T50	BULK



ATHENA PROGEAR FS 75W-85 FULLY SYNTHETIC Gear Oil

API GL-4, GL-5

G172D117	20L
G172D00	25L
G172B77	205L
G172I00	1000L IBC
G172T50	BULK



ATHENA PROGEAR FS 75W-90 FULLY SYNTHETIC Gear Oil

API GL-4, GL-5
COMPREHENSIVE MTF APPLICATIONS
SEE THE TECHNICAL DATA SHEET FOR FULL LIST OF APPLICATIONS

G159S515	15 x 1L
G159S715	4 x 5L
G159D117	20L
G159D00	25L
G159B77	205L
G159I00	1000L IBC
G159T50	BULK



ATHENA SUPER SYNGEAR 75W-90 FULLY SYNTHETIC Gear Oil

API MT-1, GL-4, GL-5, SAE J2360, MB 235.8, MAN 341 E3 & Z2, 342 M3 & 33435, SCANIA ST0 2:0 A FS, ST0 1:1G, ST0 1:0, MACK GO-J, MIL-PRF-2105E, ARVIN MERITOR 0-76-N, NATO 0-226, DETROIT FLUIDS DFS 93K219.01, ZF TE-ML 02B, 05B, 07A, 08, 12B, 12L, 12N, 16F, 17B, 19C
SEE THE TECHNICAL DATA SHEET FOR FULL LIST OF APPLICATIONS

G123D117	20L
G123D00	25L
G123B77	205L
G123I00	1000L IBC
G123T50	BULK



ATHENA PROGEAR SS 75W-90 SEMI SYNTHETIC Gear Oil

API GL-4, GL-5

G160S515	15 x 1L
G160S715	4 x 5L
G160D117	20L
G160D00	25L
G160B01	205L
G160I00	1000L IBC
G160T50	BULK



ATHENA MULTIGEAR 75W-80 PREMIUM MANUAL Transmission Fluid

API GL-4, GL-5
MULTIPLE MTF APPLICATIONS
SEE THE TECHNICAL DATA SHEET
FOR FULL LIST OF APPLICATIONS

G139S535	15 x 1L
G139S704	4 x 5L
G139D117	20L
G139D00	25L
G139B01	205L
G139I00	1000L IBC
G139T50	BULK



AUTOMOTIVE ENGINE OILS

Exol offer a comprehensive range of Automotive engine oils for the Automotive sector.

Contact your Account Manager if you require a brochure, or alternatively visit www.exol-lubricants.com/downloads for an electronic copy.

FLUID CHECK



Providing fluid analysis & diagnostic services for:

Power Generation & Distribution, Road & Rail Transport, Construction, Mining, Industrial and Marine

What Is Fluid Check?

Fluid Check is Exol Lubricants' market-leading fluid analysis programme for condition monitoring of all types of fluid-lubricated systems and vehicles.

Your equipment represents a significant investment and it's critical that it remains operational at all times. Failure of your equipment can result in loss of production, and associated costs running into thousands of pounds per hour. Imagine if your business was suddenly unable to provide a core service or product. This potential damage to reputation and future business needs to be avoided wherever possible.

Fluid Check helps reduce unplanned downtime, extends oil drains and detects potential failures before they happen.



ATHENA PROGEAR EP 80W-90 MINERAL Gear Oil

API GL-4, MIL-L-2105

G008D117	20L
G008D00	25L
G008B01	205L
G008I00	1000L IBC
G008T50	BULK



ATHENA PROGEAR HD 80W-90 MINERAL Gear Oil

API GL-5, GL-4, MIL-L-2105D

G014S534	15 x 1L
G014S734	4 x 5L
G014D117	20L
G014D00	25L
G014B01	205L
G014I00	1000L IBC
G014T50	BULK



ATHENA PROGEAR HD 85W-140 MINERAL Gear Oil

API GL-5, GL-4, MIL-L-2105D

G017D117	20L
G017D00	25L
G017B01	205L
G017I00	1000L IBC
G017T50	BULK



ATHENA SUPER M 80W-90 MINERAL Gear Oil

API MT-1, GL-4, GL-5, SAE J2360, MAN M3343 TYPE M, 341 TYPE E-2 & Z-2, 342 TYPE M-2, SCANIA STO 1:0, STO 1:1 G, MACK GO-J, MIL-PRF-2105E, MB 235.0 ZF TE-ML 02B, 05A, 07A, 08, 12E, 12M, 16B, 16C, 16D, 17B, 19B, 21A, ARVIN MERITOR 0-76-D, VOLVO 97321

G124D117	20L
G124D00	25L
G124B01	205L
G124I00	1000L IBC
G124T50	BULK



ATHENA SUPER M 80W-140 MINERAL Gear Oil

API GL-4, GL-5, MT-1, MILITARY MIL-PRF-2105E, SAE J2360, MACK GO-J, SCANIA STO 1:0, ZF TE-ML 05A, 07A, 08, 12E, 12M, 16B, 16C, 16D, 17B, 21A

G131D117	20L
G131D00	25L
G131B01	205L
G131I00	1000L IBC
G131T50	BULK



ATHENA SUPER M 85W-140 MINERAL Gear Oil

API GL-4, GL-5, MT-1, SCANIA STO 1:0, ZF TE-ML 05A, 07A, 08, 12E, 12M, 16B, 16C, 16D, 17B & 21A, MACK GO-J, MILITARY MIL-PRF-2105E, SAE J2360

G128D117	20L
G128D00	25L
G128B01	205L
G128I00	1000L IBC
G128T50	BULK



ATHENA PROGEAR EP 80W MINERAL Gear Oil

API GL-4, MIL-L-2105

G009D117	20L
G009D00	25L
G009B01	205L
G009I00	1000L IBC
G009T50	BULK



ATHENA PROGEAR EP 90 MINERAL Gear Oil

API GL-4, MIL-L-2105

G010D117	20L
G010D00	25L
G010B01	205L
G010I00	1000L IBC
G010T50	BULK



ATHENA PROGEAR EP 140 MINERAL Gear Oil

API GL-4, MIL-L-2105

G013D117	20L
G013D00	25L
G013B01	205L
G013I00	1000L IBC
G013T50	BULK



ATHENA PROGEAR HD 80W MINERAL Gear Oil

API GL-5 & GL-4, MIL-L-2105D

G015D117	20L
G015D00	25L
G015B01	205L
G015I00	1000L IBC
G015T50	BULK



ATHENA PROGEAR HD 90 MINERAL Gear Oil

API GL-5 & GL-4, MIL-L-2105D

G016D117	20L
G016D00	25L
G016B01	205L
G016I00	1000L IBC
G016T50	BULK



ATHENA PROGEAR LS 90 MINERAL LIMITED SLIP Gear Oil

API GL-5 LS, MIL-L-2105B

G018D117	20L
G018D00	25L
G018B01	205L
G018I00	1000L IBC
G018T50	BULK



ATHENA PROGEAR HD 140 MINERAL Gear Oil

API GL-5 & GL-4, MIL-L-2105D

G036D117	20L
G036D00	25L
G036B01	205L
G036I00	1000L IBC
G036T50	BULK



ATHENA SAE 140 MINERAL Gear Oil

API GL-1, David Brown S1.53.101M

G020D117	20L
G020D00	25L
G020B01	205L
G020I00	1000L IBC
G020T50	BULK



ATHENA SAE 90 MINERAL Gear Oil

API GL-1, David Brown S1.53.101M

G021D117	20L
G021D00	25L
G021B01	205L
G021I00	1000L IBC
G021T50	BULK



ATHENA SAE 140 MINERAL Gear Oil

API GL-1, David Brown S1.53.101M

G022D117	20L
G022D00	25L
G022B01	205L
G022I00	1000L IBC
G022T50	BULK



**ATHENA PROGEAR
LS 80W-90
MINERAL LIMITED SLIP
Gear Oil**

API GL-5 LS, MIL-L-2105B

G104S535	15 x 1L
G104S704	4 x 5L
G104D117	20L
G104D00	25L
G104B01	205L
G104I00	1000L IBC
G104T50	BULK



**ATHENA PROGEAR
LS 85W-140
MINERAL LIMITED SLIP
Gear Oil**

API GL-5 LS, MIL-L-2105B

G127S704	4 x 5L
G127D117	20L
G127D00	25L
G127B01	205L
G127I00	1000L IBC
G127T50	BULK



HAVE YOU HEARD THE NEWS?

**News & Information from the UK's
Largest Independent Lubricants Blender.**

Contact your Account Manager
for the latest copy, or alternatively visit
www.exol-lubricants.com/downloads
for an electronic copy.



BULK DELIVERY

Exol's fleet of vehicles comprises a mix of dual-purpose vehicles and large tanker trucks to enable us to deliver bulk orders ranging from 500 litres to 32,000 litres on one vehicle.

Ridged Truck dimensions

Length: 36',

Width: 8'6" - requires a minimum of 12' clearance

Height: 12'6"

Tanker Truck dimensions

Length: 68',

Width: 8'6" - requires a minimum of 12' clearance

Height: 12'6"



AUTOTRANS ELC FULLY SYNTHETIC Automatic Transmission Fluid

GM DEXRON® IIIH, FORD MERCON® V, JASO 1-A, ALLISON C-4, TES-295, TES 389B, CATERPILLAR TO-2, MAN 339 TYPE V-1, 339 TYPE Z-2, 339 TYPE Z-3. SEE THE TECHNICAL DATA SHEET FOR THE FULL LIST OF APPLICATIONS.

A045S535	15 x 1L
A045S704	4 x 5L
A045D117	20L
A045D00	25L
A045B77	205L
A045I00	1000L IBC
A045T50	BULK



AUTOTRANS LVA FULLY SYNTHETIC Automatic Transmission Fluid

ASIN WARNER AW-1, JWS 3324, AUDI/VW TL 052 162-Z (G 060 162), G 055 005, G 055 162, G 055 540, G 052 540, BENTLEY JNV 862 564 D, BMW 83 22 0 142 516, 83 22 2 152 426, 83 22 2 305 397 (ATF 3), 83 22 2 289 720 (ATF 3+). SEE TECHNICAL DATA SHEET FOR FULL LIST OF APPLICATIONS.

	15 x 1L
A050S704	4 x 5L
A050D117	20L
A050D00	25L
A050B77	205L
A050I00	1000L IBC
A050T50	BULK



AUTOTRANS DCT FULLY SYNTHETIC Dual Clutch Transmission Fluid

SUITABLE FOR THE MAJORITY OF WET-CLUTCH DUAL CLUTCH TRANSMISSIONS. SEE THE TECHNICAL DATA SHEET FOR FULL LIST OF APPLICATIONS.

A043S535	15 x 1L
A043S704	4 x 5L
A043D117	20L
A043D00	25L
A043B77	205L
A043I00	1000L IBC
A043T50	BULK



AUTOTRANS CVT FULLY SYNTHETIC Continuously Variable Transmission Fluid

SUITABLE FOR THE MAJORITY OF CONTINUOUSLY VARIABLE TRANSMISSIONS (CVT). SEE THE TECHNICAL DATA SHEET FOR FULL LIST OF APPLICATIONS.

A042S535	15 x 1L
A042S704	4 x 5L
A042D117	20L
A042D00	25L
A042B77	205L
A042I00	1000L IBC
A042T50	BULK



AUTOTRANS D VI FULLY SYNTHETIC Automatic Transmission Fluid

GM DEXRON VI, DEXRON IIIH, IIIG, IID, TASA, JASO 1A, ALLISON C-4, CATERPILLAR TO-2, MERCEDES-BENZ 236.5, VOLVO 55.6335 (FORMERLY G607), VOLVO 97340, ZF TE-ML 09. SEE THE TECHNICAL DATA SHEET FOR THE FULL LIST OF APPLICATIONS.

A041S572	15 x 1L
A041S772	4 x 5L
A041D117	20L
A041D00	25L
A041B77	205L
A041I00	1000L IBC
A041T50	BULK



AUTOTRANS MVA FULLY SYNTHETIC Automatic Transmission Fluid

GM DEXRON® IIIH, FORD MERCON®, MERCON® V, JASO 1A, MB 236.9, ALLISON C4, TES-295, MAN 339 TYPE V-1, TYPE Z-1, Z-2. SEE THE TECHNICAL DATA SHEET FOR THE FULL LIST OF APPLICATIONS.

A036S572	15 x 1L
A036S704	4 x 5L
A036D117	20L
A036D00	25L
A036B77	205L
A036I00	1000L IBC
A036T50	BULK



ASK THE EXPERTS

Contact Exol for any issues or technical help. No matter what the question, our team are here to help. Use the following communication lines:

 +44(0)121 568 6800

 hello@exol-lubricants.com

 www.exol-lubricants.com



AUTOTRANS D III SEMI SYNTHETIC Automatic Transmission Fluid

GM DEXRON IIIH, FORD MERCON, ALLISON C4, TES-389, CATERPILLAR TO-2, MB 236.1, 236.5, 236.6, 236.7, 236.8, 236.9, 236.10, MAN 339 F, 339 V1 & Z1, 339 V2 & Z2, VOITH 55,6335, SEE TECHNICAL DATA SHEET FOR THE FULL LIST OF APPLICATIONS.

A020S572	15 x 1L
A020S772	4 x 5L
A020D117	20L
A020D00	25L
A020B01	205L
A020I00	1000L IBC
A020T50	BULK



AUTOTRANS UNIVERSAL D II MINERAL Automatic Transmission Fluid

GM DEXRON IID, FORD MERCON, FORD M2C138CJ, M2C166H, ALLISON C4, CATERPILLAR TO-2, MB 236.1, 236.7, ZF TE-ML 09,11,14

A009S516	15 x 1L
A009S716	4 x 5L
A009D117	20L
A009D00	25L
A009B01	205L
A009I00	1000L IBC
A009T50	BULK



AUTOTRANS G MINERAL Transmission Fluid

FORD M2C33G, M2C33F

	15 x 1L
	4 x 5L
A002D117	20L
A002D00	25L
A002B01	205L
A002I00	1000L IBC
A002T50	BULK

HOW TO FIND THE PERFECT OIL

To ensure you are picking the correct oil for your vehicle, Exol's Oil Check couldn't be easier:
www.exol-lubricants.com/oil-check

Simply enter
your vehicle
details

User friendly
on-screen
instructions

Safe in the
knowledge you
have the correct
information



Simply enter the vehicle's details and we'll do the rest. We can then provide you with an overview of the optimum lubricants for your vehicle.

TECHNOLOGY THAT WORKS FOR YOU

All Exol products are supported by our experienced technical department and team of area sales managers. Our technical support is second to none.

For further information please contact us:

Email: info@exol-lubricants.com

Tel: +44 (0) 121 568 6800

Exol's technical department draws on over 60 years of oil industry experience and expertise, and is here to help you match the right product to the right application. They are also on hand where you have problems, or special requirements.

We take great pride in ensuring that our products are truly worthy of our motto, "Excellence in Lubricants".

Exol's market-leading technical support and partnership program is supported by our comprehensive laboratories at both Wednesbury and Rotherham sites.

Technical Support Initiatives:

- Lubricant advice by phone, email and VRM Look Up
- Recommendation on the correct use of our products
- Lubrication problem solving
- Product information
- Safety and technical datasheets
- Sample analysis on all lubricants through Fluid Check program
- On-site technical support





EXOL LUBRICANTS LIMITED

All Saints Road, Wednesbury, West Midlands, WS10 9LL, United Kingdom

T: + (0) 121 5686800



www.exol-lubricants.com

 **MADE IN ENGLAND**

