



***AGRICULTURAL, PLANT
& OFF HIGHWAY***

FLUIDS & LUBRICANTS



EXCELLENCE IN LUBRICANTS



40 YEARS OF EXCELLENCE

Proudly manufacturing lubricants in the UK since 1984.

LUBRICANTS FOR ALL SECTORS

Contact your Area Sales Manager if you require one of the following brochures from our Lubricants and Fluids Range, alternatively visit www.exol-lubricants.com/downloads for an electronic copy.



STATEMENT OF QUALITY

Exol products are supported by O.E.M. approvals, acknowledgments and registrations and a quality guarantee of being of “parts of matching quality” under European Block Exemption Regulations.

These lubricants can be used for vehicle servicing without invalidating the vehicle or replacement parts warranty, providing the application is as given in the Exol Technical Data Sheet.



* Providing the lubricant specification required by the vehicle manufacturer is detailed on the product label or Technical Data Sheet.

AGRICULTURAL, PLANT & OFF HIGHWAY



The highly developed agricultural machinery in use in today's intensive farming environment needs the specialised protection afforded by Exol's range of agricultural lubricants. Exol's agricultural product range has been developed to satisfy the requirements of the latest specialised tractors through to older types of farming machinery and ancillary equipment.

Exol's off-highway range of lubricants and fluids encompasses a wide variety of sectors including construction, marine and forestry. The range includes specialised transmission fluids, marine specific engine oils, biodegradable lubricants and sophisticated greases.

Exol has a range of specialised products for use in the rail industry including heavy duty diesel engine oils, power transmission fluids and high quality greases. Exol's rail products are renowned for their long predictable service life and trouble-free operation.

Exol Lubricants is proud to produce and supply the highest quality products that have been approved by Original Equipment Manufacturers (OEMs), for full details please visit Exol's website and select Product Approvals.

Find the right oil for your vehicle with Exol's free online Which Oil look-up, visit www.exol-lubricants.com

Technical Data and COSHH Sheets are available to view and download through Exol's website product pages.



CONTENTS

ENGINE OILS.....	4
UNIVERSAL OILS	5
GEAR & TRANSMISSION OILS	6-7
ANCILLARY PRODUCTS.....	8-9
ANTIFREEZE PRODUCTS.....	10-11
HYDRAULIC OILS.....	12-13
MARINE OILS.....	14
RAIL OILS.....	15-16
GREASES	17-18
AGRICULTURAL RECOMMENDATIONS.....	19



TAURUS SHPD E9 15W-40 PREMIUM

Low SAPS Engine Oil

ACEA E11/E7, API CK-4/5N, CUMMINS 20086, DAIMLER TRUCK DTFR 15C100 (MB 228.31), MAN M3775 & M3575, MTU TYPE 2.1, RENAULT RVI RLD-4, VOLVO VDS-4.5, CATERPILLAR ECF-3, JASO DH-2, DEUTZ DQC III-10LA, DETROIT DIESEL DFS 93K222, FORD WSS-M2C171-F1, MACK EO-S-4.5, ALLISON TES-439

M408D117	20L
M408D00	25L
M408B77	205L
M408I00	1000L IBC
M408T50	BULK



TAURUS SHPD E9 10W-30 PREMIUM

Low SAPS Engine Oil

ACEA E11, E7, Volvo VDS-4.5, API CK-4, Renault RLD-3, Daimler Truck DTFR 15C100 (MB 228.31), Caterpillar ECF-3, Cummins CES 20086, JASO DH-2, MAN M3775, M3575, MTU Type 2.1, Deutz DQC III-18LA, Detroit Diesel DFS 93K222, Ford WSS-M2C171-F1, Mack EO-S-4.5, DAF PSQL 2.1E

M432D117	20L
M432D00	25L
M432B77	205L
M432I00	1000L IBC
M432T50	BULK



TAURUS EURO PLUS 10W-40 FULLY SYNTHETIC

Low SAPS Engine Oil

ACEA * E4, E7, E8, E11, Scania LA, API CK-4, MTU Type 3.1, Type 2.1, Daimler Truck DTFR 15C120 (MB 228.52), DTFR 15C110 (MB 228.51), DTFR 15C100 (MB 228.31), Cummins CES 20086, CES 20081, MAN M3477, M3271-1, M3775, Caterpillar ECF-3, Volvo VDS-4.5, Deutz DQC IV-18 LA, DAF PSQL 2.1E LD, Iveco 18-809 Classe NG2, Renault Trucks RLD-3, Detroit Diesel 93K218, 93K222, JASO DH-2, DH-1, DL-0, New Holland MAT 3571, MAT 3521, Mack EOS-4.5

M443D117	20L
M443D00	25L
M443B77	205L
M443I00	1000L IBC
M443T50	BULK



TAURUS EURO 10W-40 FULLY SYNTHETIC

Low SAPS Engine Oil

ACEA E7, E8, E11, API CK-4, Caterpillar ECF-3, MTU Type 3.1, Daimler Truck DTFR 15C110 (MB 228.51), Cummins CES 20086, CES 20081, MAN M3477, M3575, M3271-1, Ford WSS-M2C171-F1, Volvo VDS-4.5, Deutz DQC IV-10 LA, DAF PSQL 2.1E LD, Iveco 18-1804 TLS E9, Renault Trucks RLD-3, Detroit Diesel 93K218, 93K222, JASO DH-2, Mack EOS-4.5, Scania LA

M403S758	4 x 5L
M403D117	20L
M403D00	25L
M403B77	205L
M403I00	1000L IBC
M403T50	BULK



TAURUS FS 5W-40 FULLY SYNTHETIC

Engine Oil

API CH-4, CF, SL, ACEA E2, A3/B3, A3/B4, VW 505.00, MB 229.1, MACK EO-L, MAN 271, MTU TYPE 1, VOLVO VDS

M488D117	20L
M488D00	25L
M488B77	205L
M488I00	1000L IBC
M488T50	BULK



TAURUS SHPD E7 15W-40 MINERAL

Engine Oil

ACEA E7, A3/B3, A3/B4, API CI-4/SL, CF, DAIMLER TRUCK DTFR 15B110 (MB 228.3), MERCEDES BENZ 229.1, CUMMINS 20071/72/76/77/78, MAN M3275, MTU TYPE 2, MACK EO-N, EO-M PLUS, VOLVO VDS-3, RENAULT RLD-2, GLOBAL DHD-1, ZF TE-ML 04C/07C, CATERPILLAR ECF-2, ALLISON C4, DEUTZ DQC III-10, JASO DH-1, DETROIT DIESEL DDC 93K215

M363S726	4 x 5L
M363D117	20L
M363D00	25L
M363B01	205L
M363I00	1000L IBC
M363T50	BULK



OPTIGUARD 15W-40 MINERAL

Engine Oil

ACEA A3/B3, A3/B4, E2, API SL/CH-4, CF, VW 505.00, MB 228.1, 229.1, MACK EO-L, MAN 271, MTU TYPE 1, VOLVO VDS

M099S505	15 x 1L
M099S705	4 x 5L
M099D117	20L
M099D00	25L
M099B01	205L
M099I00	1000L IBC
M099T50	BULK



OPTIFARM ULTRA SS 10W-40 SUPER UNIVERSAL Tractor Oil

STOU SPECIFICATIONS: MASSEY FERGUSON M1145, M1144 ZF TE-ML 03A, 06B, 06C, 07B, 07D UTTO SPECIFICATIONS: MASSEY FERGUSON M1145, M1143, JOHN DEERE J20C, FORD M2C134-D GEAR & TRANSMISSION SPECIFICATIONS: API GL-4, AGCO CVT ML 200, ALLISON C4, CATERPILLAR TO-2, AFNOR NFE 68603 E ENGINE SPECIFICATIONS: ACEA E3, API CG-4, CF-4, CF, CE/SF, MB 227.1, MAN 271, FORD M2C121-B, CCMC D4, MILITARY MIL-L-2104D

M427D117	20L
M427D00	25L
M427B01	205L
M427I00	1000L IBC
M427T50	BULK



OPTIFARM ULTRA 10W-30 SUPER UNIVERSAL Tractor Oil

STOU SPECIFICATIONS: MASSEY FERGUSON CMS M1145, M1144, JOHN DEERE J27, FORD M2C159-B/C, FNH 8200 9201, NEW HOLLAND NH 030C, ZF TE-ML 03A, 06B, 07B, 07D UTTO SPECIFICATIONS: MASSEY FERGUSON CMS M1145, M1143, JOHN DEERE J20C, FORD M2C134-D, M2C86-B, NEW HOLLAND NH 420A, NH 410B, ONH MAT 3525 GEAR & TRANSMISSION SPECIFICATIONS: API GL-4, AGCO CVT ML 200, ALLISON C4, CATERPILLAR TO-2, AFNOR NFE 68603 E ENGINE SPECIFICATIONS: ACEA E3, API CG-4, CF-4, CF, CE/SF, MB 227.1, CCMC D4, MILITARY MIL-L-2104D

M080S704	4 x 5L
M080D117	20L
M080D00	25L
M080B01	205L
M080I00	1000L IBC
M080T50	BULK



OPTIFARM ULTRA 15W-40 SUPER UNIVERSAL Tractor Oil

SUTO SPECIFICATIONS: MASSEY FERGUSON M1145, M1144, NEW HOLLAND NH024C, JOHN DEERE J27, ZF TE-ML 03A, 06B, 06C, 07B, 07D, UTTO SPECIFICATIONS: MASSEY FERGUSON M1145, M1143, FORD M2C134-D, GEAR & TRANSMISSION SPECIFICATIONS: API GL-4, AGCO CVT ML 200, ALLISON C4, CATERPILLAR TO-2, AFNOR NFE 68603 E, ENGINE SPECIFICATIONS: ACEA E3, API CG-4, CF-4, CF, CE/SF, MB 227.1, 228.1, MAN 271, FORD M2C121-B, CCMC D4, MILITARY MIL-L-2104D

M240D117	20L
M240D00	25L
M240B01	205L
M240I00	1000L IBC
M240T50	BULK



OPTIFARM MASTER 15W-30 SUPER UNIVERSAL Tractor Oil

API CE/SF, GL-4, CCMC D4/G2, MB 227.1, MASSEY FERGUSON 1135, 1127, 1139, FORD M2C86-A, 134-B/C, 159-B, ALLISON C4, JOHN DEERE J20A, ZF TE-ML 06B, 06L, 07B, 07D, CATERPILLAR TO-2

M086S712	4 x 5L
M086D117	20L
M086D00	25L
M086B01	205L
M086I00	1000L IBC
M086T50	BULK



OPTIFARM UTTO UNIVERSAL (Dyed Red) Tractor Transmission Oil

API GL-4, JOHN DEERE J20C, J20A, MASSEY FERGUSON M1145, M1143, M1141, M1135, CASE MAT 3525, MS 1206, MS 1210, NEW HOLLAND NH 420A, NH 410B, VOLVO WB101, 97303, FORD ESN-M2C134-D, ESN-M2C86-B, ZF TE-ML 03E, 03L, 05F, 06E, 06F, 06K, 06P, 17E, 21E, 21F, KUBOTA UDT, ALLISON C-4, CATERPILLAR TO-2, VALTRA G2-08, G2-B10

A006D117	20L
A006D00	25L
A006B01	205L
A006I00	1000L IBC
A006T50	BULK



OPTIFARM UTTO UNIVERSAL (Undyed) Tractor Transmission Oil

API GL-4, JOHN DEERE J20C, J20A, MASSEY FERGUSON M1145, M1143, M1141, M1135, CASE MAT 3525, MS 1206, MS 1210, NEW HOLLAND NH 420A, NH 410B, VOLVO WB101, 97303, FORD ESN-M2C134-D, ESN-M2C86-B, ZF TE-ML 03E, 03L, 05F, 06E, 06F, 06K, 06P, 17E, 21E, 21F, KUBOTA UDT, ALLISON C-4, CATERPILLAR TO-2, VALTRA G2-08, G2-B10

A027S704	4 x 5L
A027D117	20L
A027D00	25L
A027B01	205L
A027I00	1000L IBC
A027T50	BULK



OPTIFARM LV UTTO UNIVERSAL Tractor Transmission Oil

API GL-4, VOLVO WB 102 (97304), WB 101 (97303), JOHN DEERE J20D, J20C, J20B, J20A, MASSEY FERGUSON M1145, M1143, M1141, M1135, CASE NEW HOLLAND MAT 3540, MAT 3526, MAT 3525, MAT 3505, CASE MS 1206, MS 1207, MS 1209, MS 1210, NEW HOLLAND NH 420A, NH 410B, ZF TE-ML 03E, 05F, 06K, 17E, 21F, KUBOTA SUPER UDT, UDT, VALTRA G2-08, ALLISON C-4, CATERPILLAR TO-2, FORD M2C134-D, M2C86-B, KOMATSU AXO 80

A048D117	20L
A048D00	25L
A048B77	205L
A048I00	1000L IBC
A048T50	BULK



OPTIFARM HP Specialised High Performance Tractor Transmission Oil

API GL-4, FORD ESN-M2C 41-B, 132-D, JOHN DEERE JDM J20C, MASSEY FERGUSON CMS M1141, M1143, M1145, CATERPILLAR TO-2, CASE MS 1207, 1209, 1210, WHITE NEW IDEA Q-1802, Q-1826, ALLISON C-4

A051D117	20L
A051D00	25L
A051B01	205L
A051I00	1000L IBC
A051T50	BULK



ATHENA PROGEAR FS 75W-90 FULLY SYNTHETIC Gear Oil

API GL-4, GL-5
MULTIPLE MTF APPLICATIONS
SEE THE TECHNICAL DATA SHEET
FOR FULL LIST OF APPLICATIONS

G159S515	15 x 1L
G159S715	4 x 5L
G159D117	20L
G159D00	25L
G159B77	205L
G159I00	1000L IBC
G159T50	BULK



ATHENA PROGEAR SS 75W-90 SEMI-SYNTHETIC Gear Oil

API GL-4, GL-5

G160S515	15 x 1L
G160S715	4 x 5L
G160D117	20L
G160D00	25L
G160B01	205L
G160I00	1000L IBC
G160T50	BULK



ATHENA PROGEAR HD 80W-90 MINERAL Gear Oil

API GL-4, GL-5, MIL-L 2105D

G014S534	15 x 1L
G014S734	4 x 5L
G014D117	20L
G014D00	25L
G014B01	205L
G014I00	1000L IBC
G014T50	BULK



ATHENA PROGEAR HD 85W-140 MINERAL Gear Oil

API GL-4, GL-5, MIL-L 2105D

G017D117	20L
G017D00	25L
G017B01	205L
G017I00	1000L IBC
G017T50	BULK



ATHENA PROGEAR LS 90 MINERAL LIMITED SLIP Gear Oil

API GL-5 LS, MIL-L-2105B

G018D117	20L
G018D00	25L
G018B01	205L
G018I00	1000L IBC
G018T50	BULK



ATHENA PROGEAR LS 80W-90 MINERAL LIMITED SLIP Gear Oil

API GL-5 LS, MIL-L-2105B

G104S535	15 x 1L
G104S704	4 x 5L
G104D117	20L
G104D00	25L
G104B01	205L
G104I00	1000L IBC
G104T50	BULK



ATHENA PROGEAR LS 85W-140 MINERAL LIMITED SLIP Gear Oil

API GL-5 LS, MIL-L-2105B

G127D117	20L
G127D00	25L
G127B01	205L
G127I00	1000L IBC
G127T50	BULK



AUTOTRANS D III SEMI SYNTHETIC Automatic Transmission Fluid

GM DEXRON® IIIH, DEXRON® IIIG, DEXRON® IID, TASA, FORD MERCON®, MAN 339F, 339 V1 & Z1, 339 V2 & Z2, VOITH 55.6335 (G607), ALLISON C-4, TES-389, VOLVO 97341, 97340, MB 236.10, 236.9, 236.8, 236.7, 236.6, 236.5, 236.1, ZF TE-ML 02F, 03D, 04D, 09, 11A, 11B, 14A, 14B, 16L, 17C, CATERPILLAR TO-2

A020S572	15 x 1L
A020S772	4 x 5L
A020D117	20L
A020D00	25L
A020B01	205L
A020I00	1000L IBC
A020T50	BULK



AUTOTRANS UNIVERSAL D II MINERAL Automatic Transmission Fluid

GM DEXRON® IID (GM 6137-M), FORD MERCON®, M2C-166H, M2C-138CJ, ALLISON C-4, CATERPILLAR TO-2, MB 236.1, 236.7. SEE THE TECHNICAL DATA SHEET FOR THE FULL LIST OF APPLICATIONS.

A009S516	15 x 1L
A009S716	4 x 5L
A009D117	20L
A009D00	25L
A009B01	205L
A009I00	1000L IBC
A009T50	BULK



AUTOTRANS G MINERAL Transmission Fluid

FORD M2C33G, M2C33F

A002D117	20L
A002D00	25L
A002B01	205L
A002I00	1000L IBC
A002T50	BULK



TRANSMISSION TO-4 SAE 10W MINERAL Transmission Fluid

CATERPILLAR TO-4, ALLISON C4, API MT-1, KOMATSU KES 07.868.1, ZF TE-ML 03C

A012D117	20L
A012D00	25L
A012B01	250L
A012I00	1000L IBC
A012T50	BULK



TRANSMISSION TO-4 SAE 30 MINERAL Transmission Fluid

CATERPILLAR TO-4, ALLISON C4, API MT-1, KOMATSU KES 07.868.1, ZF TE-ML 03C, 07F

A014D117	20L
A014D00	25L
A014B01	205L
A014I00	1000L IBC
A014T50	BULK



TRANSMISSION TO-4 SAE 50 MINERAL Transmission Fluid

CATERPILLAR TO-4, ALLISON C4, API MT-1, KOMATSU KES 07.868.1

A016D117	20L
A016D00	25L
A016B01	205L
A016I00	1000L IBC
A016T50	BULK



ASK THE EXPERTS

Contact Exol for any issues or technical help. No matter what the question, our team are here to help. Use the following communication lines:

 +44(0)121 568 6800

 hello@exol-lubricants.com

 www.exol-lubricants.com



OPTIFARM MILKING MACHINE OIL MINERAL OIL Based Oil

ISO 6743-3 DVC, ISO VG 100

	15 x 1L
L046S726	4 x 5L
L046D117	20L
L046D00	25L
L046B01	205L



OPTIFARM CHAINSAW OIL MINERAL OIL Based Oil

ISO 6743/1 LAN, ISO VG 100

	15 x 1L
L047S535	4 x 5L
L047D117	20L
L047D00	25L
L047B01	205L



OPTIFARM CHAINSAW OIL 150 MINERAL OIL Based Oil

ISO 6743/1 LAN, ISO VG 150

	15 x 1L
	4 x 5L
L219D117	20L
L219D00	25L
L219B01	205L



OPTIFARM HEAVY CHAINSAW OIL MINERAL OIL Based Oil

ISO 6743/1 LAN, ISO VG 220

	15 x 1L
L048S525	4 x 5L
L048D117	20L
L048D00	25L
L048B01	205L



BIODEGRADABLE CHAINSAW OIL 220 Biodegradable Chainsaw Oil

ISO 6743/1 LAN, ISO VG 220

	15 x 1L
	4 x 5L
L237D117	20L
L237D00	25L
L237B01	205L



OPTIFARM LAWNMOWER OIL MINERAL Engine Oil

API CC/SE, CCMC D1, MIL-L-2104B,
MIL-L-46152B

	15 x 1L
M508S535	4 x 5L
M508S704	20L
M508D117	25L
M508D00	205L
M508B01	



OPTIMA 2 STROKE MINERAL Two Stroke Oil

JASO FB, ISO-L-EGB, API TC

	15 x 1L
M095S522	4 x 5L
M095S722	20L
M095D117	25L
M095D00	205L
M095B01	



OPTIMA SUPER 2 STROKE SEMI SYNTHETIC Two Stroke Oil

JASO FD, ISO-L-EGD, API TC

M222S100	24 x 100ml
M222S535	15 x 1L
M222S704	4 x 5L
M222D117	20L
M222D00	25L
M222B01	205L



**ULTRAMAX
BRAKE FLUID DOT 4
SYNTHETIC**
Hydraulic Brake Fluid

US FM VSS 116 DOT 4, US FM VSS 116 DOT 3, SAE J1703, J1704, ISO 4925 (CLASSES 3 & 4)

H053SS436	24 x 250ml
H053SS435	25 x 500ml
H053SS535	15 x 1L
H053S735	4 x 5L
H053D117	20L



**ULTRAMAX LHM
FLUID PLUS
MINERAL**
Hydraulic Brake Fluid

ISO 7308, PSA B71 2710, NEW HOLLAND NH-610A, FORD M6C59-A

H104S518	15 x 1L
	4 x 5L
H104D117	20L
H104D00	25L
H104B01	205L



**ROCKDRILL 220
MINERAL**
Pneumatic Tool Oil

ISO 6743/11 PAB, ISO 220

	15 x 1L
	4 x 5L
L091D117	20L
L091D00	25L
L091B01	205L



**ROCKDRILL 100
MINERAL**
Pneumatic Tool Oil

ISO 6743/11 PAB, ISO 100

	15 x 1L
	4 x 5L
L129D117	20L
L129D00	25L
L129B01	205L



**EXCEL DELTA
DEGREASER**
Solvent Based Cleaner

	15 x 1L
	4 x 5L
	20L
D002D00	25L
D002B01	205L



**EXCEL
FLEETWASH**
Traffic Film Remover

	15 x 1L
	4 x 5L
	20L
D003D00	25L
D003B01	205L



**HAVE YOU HEARD
THE NEWS?**

News & Information from the UK's
Largest Independent Lubricants Blender.

Contact your Account Manager
for the latest copy, or alternatively visit
www.exol-lubricants.com/downloads
for an electronic copy.



OPTICOOOL ANTIFREEZE RED

Organic Acid Technology
(OAT)

ASTM D3306, ASTM D 4985, SAE J 1034, BS 6580: 2010, AFNOR NF R15-601*, FFV Heft R443, CUNA NC 956-16, UNE 26361 – 88, JIS K 2234*, NATO S 759
(* with the exception of reserve alkalinity)

D017S535	15 x 1L
D017S704	4 x 5L
D017D117	20L
D017D00	25L
D017B01	205L
D017I00	1000L IBC



OPTICOOOL ANTIFREEZE PRO RED

Organic Acid Technology
(OAT)

ASTM D3306, ASTM D 4985, SAE J 1034, BS 6580: 2010, AFNOR NF R15-601*, FFV Heft R443, CUNA NC 956-16, UNE 26361 – 88, JIS K 2234*, NATO S 759
(* with the exception of reserve alkalinity)

D029D117	20L
D029D00	25L
D029B01	205L
D029I00	1000L IBC



OPTICOOOL ANTIFREEZE BLUE

Inorganic Acid
Technology (IAT)

ASTM D 3306, ASTM D 4985,
SAE J 1034, BS 6580: 2010

D001S564	15 x 1L
D001S704	4 x 5L
D001D117	20L
D001D00	25L
D001B01	205L
D001I00	1000L IBC



OPTICOOOL ANTIFREEZE PRO BLUE

Inorganic Acid
Technology (IAT)

ASTM D 3306, ASTM D 4985,
SAE J 1034, BS 6580: 2010

D030D117	20L
D030D00	25L
D030B01	205L
D030I00	1000L IBC



OPTICOOOL ANTIFREEZE HD (GREEN)

OAT + Borate,
Silicate, Nitrite (Hybrid)

ASTM D 3306, ASTM D 4985, ASTM D 6210, SAE J 1034, BS 6580:2010, AFNOR NF R15-601, JIS K2234, MAN 324, Cummins ES14603, Leyland, Fiat / Iveco, BR 637, Perkins, John Deere
(See Technical Data Sheet for further information)

D027S535	15 x 1L
D027S704	4 x 5L
D027D117	20L
D027D00	25L
D027B01	205L
D027I00	1000L IBC



OPTICOOOL ANTIFREEZE HDX (BLUE/GREEN)

OAT + Borate, Silicate
(Nitrite Free Hybrid)

ASTM D 3306, ASTM D 4985, SAE J 1034, BS 6580:2010, AFNOR NF R15-601, JIS K2234, and the performance requirements of ASTM D 6210
(See Technical Data Sheet for further information)

D031S535	15 x 1L
D031S704	4 x 5L
D031D117	20L
D031D00	25L
D031B01	205L
D031I00	1000L IBC



OPTICOOOL ANTIFREEZE SOAT (LILAC)

OAT + Silicate (Si-OAT)

ASTM D 3306, ASTM D 4985, SAE J 1034, AFNOR NF R15-601*, CUNA NC 956-16, UNE 26361 – 88, JIS K 2234*, NATO S 759, BS 6580:2010, VAG TL 774 G
(* with the exception of reserve alkalinity)
(See Technical Data Sheet for further information)

D032S535	15 x 1L
D032S704	4 x 5L
D032D117	20L
D032D00	25L
D032B01	205L
D032I00	1000L IBC



OPTICOOOL ANTIFREEZE UNIVERSAL (CLEAR)

OAT (Universal Top Up Coolant)

ASTM D 3306, ASTM D 4985, SAE J 1034, AFNOR NF R15-601*, BS 6580:1992, CUNA NC 956-16, UNE 26361 – 88, JIS K 2234 *, NATO S 759
(* with the exception of reserve alkalinity)
(See Technical Data Sheet for further information)

D033S535	15 x 1L
D033S704	4 x 5L
D033D117	20L
D033D00	25L
D033B01	205L
D033I00	1000L IBC



OPTICOOOL ANTIFREEZE YELLOW

Organic Acid Technology (OAT)

ASTM D3306, ASTM D 4985, SAE J 1034, BS 6580: 2010, AFNOR NF R15-601*, FFV Heft R443, CUNA NC 956-16, UNE 26361-88, VOLVO VCS (* with the exception of reserve alkalinity)

	15 x 1L
	4 x 5L
D039D117	20L
D039D00	25L
D039B01	205L
D039I00	1000L IBC



OPTICOOOL ANTIFREEZE YELLOW (50%)

OAT (Ready to use)

ASTM D3306, ASTM D 4985, SAE J 1034, BS 6580: 2010, AFNOR NF R15-601*, FFV Heft R443, CUNA NC 956-16, UNE 26361, VOLVO VCS (* with the exception of reserve alkalinity)

	15 x 1L
	4 x 5L
D045D117	20L
D045D00	25L
D045B01	205L
D045I00	1000L IBC



OPTICOOOL ANTIFREEZE P-OAT

Monoethylene Glycol Based
Phosphated OAT

ASTM D3306, ASTM D4656,
BS 6580: 2010, JIS K2234,
SAE J 1034

	15 x 1L
	4 x 5L
D046D117	20L
D046D00	25L
D046B01	205L
D046I00	1000L IBC



OPTICOOOL ANTIFREEZE SP-OAT

Monoethylene Glycol Based
Silicated-Phosphated OAT

ASTM D3306, ASTM D4656, BS 6580:
2010, SAE J 1034

	15 x 1L
	4 x 5L
D047D117	20L
D047D00	25L
D047B01	205L
D047I00	1000L IBC



GEAR & TRANSMISSION OILS

Exol offer a comprehensive range of
Gear & Transmission oils for the
Automotive and Commercial sectors.

Contact your Account Manager
if you require a brochure,
or alternatively visit
www.exol-lubricants.com/downloads
for an electronic copy.



ULTRAMAX 32 MINERAL Hydraulic Oil

DIN 51524 PART 2, CATEGORY HLP,
ISO 6743/4, CATEGORY HM, DENISON
HF-2, TP-02100 FILTERABILITY TEST,
SPERRY VICKERS M-2950-S, I-286-S,
AFNOR NF E 48-600, THYSSSEN TH
N-256132, US STEEL 127,
SEB 181.222, VDMA 24318

H006S719	4 x 5L
H006D117	20L
H006D00	25L
H006B01	205L
H006I00	1000L IBC
H006T50	BULK



ULTRAMAX 46 MINERAL Hydraulic Oil

DIN 51524 PART 2, CATEGORY HLP,
ISO 6743/4, CATEGORY HM, DENISON
HF-2, TP-02100 FILTERABILITY TEST,
SPERRY VICKERS M-2950-S, I-286-S,
AFNOR NF E 48-600, THYSSSEN TH
N-256132, US STEEL 127,
SEB 181.222, VDMA 24318

H008S720	4 x 5L
H008D117	20L
H008D00	25L
H008B01	205L
H008I00	1000L IBC
H008T50	BULK



ULTRAMAX 68 MINERAL Hydraulic Oil

DIN 51524 PART 2, CATEGORY HLP,
ISO 6743/4, CATEGORY HM, DENISON
HF-2, TP-02100 FILTERABILITY TEST,
SPERRY VICKERS M-2950-S, I-286-S,
AFNOR NF E 48-600, THYSSSEN TH
N-256132, US STEEL 127,
SEB 181.222, VDMA 24318

H009D117	20L
H009D00	25L
H009B01	205L
H009I00	1000L IBC
H009T50	BULK



ULTRAMAX MG 32 MINERAL HVI Hydraulic Oil

DIN 51524 PART 3 CATEGORY HVLP,
DIN 51517 PART 2, ISO 6743/4
CATEGORY HV, SPERRY VICKERS
M-2950-S & I-286-S

H015D117	20L
H015D00	25L
H015B01	205L
H015I00	1000L IBC
H015T50	BULK



ULTRAMAX MG 46 MINERAL HVI Hydraulic Oil

DIN 51524 PART 3 CATEGORY HVLP,
DIN 51517 PART 2, ISO 6743/4
CATEGORY HV, SPERRY VICKERS
M-2950-S & I-286-S

H017S704	4 x 5L
H017D117	20L
H017D00	25L
H017B01	205L
H017I00	1000L IBC
H017T50	BULK



ULTRAMAX MG 46 (BLUE) MINERAL HVI Hydraulic Oil

DIN 51524 PART 3 CATEGORY HVLP,
DIN 51517 PART 2, ISO 6743/4
CATEGORY HV, SPERRY VICKERS
M-2950-S & I-286-S, CASE-POCLAIN
P10032-79V

H076D117	20L
H076D00	25L
H076B01	205L
H076I00	1000L IBC
H076T50	BULK



ULTRAMAX MG 68 MINERAL HVI Hydraulic Oil

DIN 51524 PART 3 CATEGORY HVLP,
DIN 51517 PART 2, ISO 6743/4
CATEGORY HV, SPERRY VICKERS
M-2950-S & I-286-S

H018D117	20L
H018D00	25L
H018B01	205L
H018I00	1000L IBC
H018T50	BULK



ULTRAMAX BD 32 BIODEGRADABLE Hydraulic Fluid

BIODEGRADABILITY > 98%
(CEC-L-33-T-82), DIN 51524 Part 3
(except D943), ISO 11158 HETG

H084D117	20L
H084D00	25L
H084B01	205L
H084I00	1000L IBC
H084T50	BULK



ULTRAMAX BD 46 BIODEGRADABLE Hydraulic Fluid

BIODEGRADABILITY > 98%
(CEC-L-33-T-82), DIN 51524 Part 3
(except D943), ISO 11158 HETG

H046D117	20L
H046D00	25L
H046B01	205L
H046I00	1000L IBC
H046T50	BULK



ULTRAMAX BD 68 BIODEGRADABLE Hydraulic Fluid

BIODEGRADABILITY > 98%
(CEC-L-33-T-82), DIN 51524 Part 3
(except D943), ISO 11158 HETG

H197D117	20L
H197D00	25L
H197B01	205L
H197I00	1000L IBC
H197T50	BULK



ULTRAMAX SE46 BIODEGRADABLE Hydraulic Fluid

EUROPEAN ECOLABEL, ISO 15380
HEES, SWEDISH STANDARD SS 15 54
34, DENISON HF-2, HF-6, MEETS
THE REQUIREMENTS OF
STANDARDS OECD 201, 202 & 203
FOR ECOTOXICITY AND OECD 301B
FOR BIODEGRADABILITY

H193D117	20L
H193D00	25L
H193B01	205L
H193I00	1000L IBC
H193T50	BULK

ULTRAMAX

The Ultramax range of hydraulic fluids is manufactured from highly refined base stocks which possess good oxidation resistance and thermal stability. They are fortified with carefully selected additives to further improve performance characteristics including anti-corrosion to protect the system should water be present, anti-wear to reduce wear in pumps used in hydraulic systems, anti-oxidants and anti-foam.

ULTRAMAX

Benefits:

- Incorporates inhibitors for protection against all forms of corrosion
- Good anti-foaming and air release properties
- Good demulsification characteristics
- Excellent anti-wear performance
- High oxidation resistance and thermal stability

ULTRAMAX MG (HVI)

Benefits:

- High viscosity index
- Excellent low temperature performance
- Incorporates inhibitors for protection against all forms of corrosion
- Highly shear stable providing stay-in-grade performance
- Good anti-foaming and air release properties
- Rapid water separation
- Exceptional anti-wear performance
- High oxidation resistance and thermal stability

ULTRAMAX BD & SE (biodegradable, vegetable & ester)

Benefits:

- Very high level of biodegradability
- High oxidation stability
- Extended drain intervals
- Environmentally friendly

Applications:

The Ultramax range of hydraulic oils is suitable for a wide variety of applications. These include industrial hydraulic systems, agricultural and plant equipment, mobile units such as jacks, lightly loaded gears and many others.



OPTIMA MARINE 123 MINERAL Engine Oil

SAE 30, TBN 12, API CF

M054D00	20L
M054D00	25L
M054B01	205L
M054I00	1000L IBC
M054T50	BULK



OPTIMA MARINE 153 MINERAL Engine Oil

SAE 30, TBN 15, API CF

M057D117	20L
M057D00	25L
M057B01	205L
M057I00	1000L IBC
M057T50	BULK



OPTIMA MARINE 154 MINERAL Engine Oil

SAE 40, TBN 15, API CF

M389D117	20L
M389D00	25L
M389B01	205L
M389I00	1000L IBC
M389T50	BULK



OPTIMA MARINE E7 15W-40 MINERAL Engine Oil

ACEA E7, A3/B3, A3/B4, API CI-4, CF, SL, MB 228.3, 229.1, CUMMINS CES 20078, CES 20071/72/76/77, MAN M3275, MTU TYPE 2, MACK EO-N, EO-M PLUS, VOLVO VDS-3, RENAULT RVI RLD-2, RLD, GLOBAL DHD-1, ZF TE-ML 04C/07C, CATERPILLAR ECF-2, ECF-1-A, ALLISON C4, DETROIT DIESEL DDC 93K215, JASO DH-1, DEUTZ DQC III-10

M470D117	20L
M470D00	25L
M470B01	205L
M470I00	1000L IBC
M470T50	BULK



OPTIMA MARINE STERN TUBE OIL 680 MINERAL OIL Based Oi

ISO VG 680

L299D117	20L
L299D00	25L
L299B01	205L
L299I00	1000L IBC
L299T50	BULK



OPTIMA MARINE 2 STROKE MINERAL Two Stroke Oil

NMMA TC-W3, API TD

M154D117	20L
M154D00	25L
M154B01	205L
M154I00	1000L IBC
M154T50	BULK



OPTIGUARD 10W-40 MINERAL Engine Oil

(Canal, Yacht, inland waterway)

ACEA A3/B3, A3/B4, E2, API SL/CH-4, VW 505.00, MB 228.1, 229.1, MACK EO-L, MAN 271, MTU TYPE 1, VOLVO VDS

M102D117	20L
M102D00	25L
M102B01	205L
M102I00	1000L IBC
M102T50	BULK



CLASSIC 30 MINERAL Engine Oil

(Canal, Yacht, inland waterway)

API SE/CC, CCMC-D1, MIL-L-2104B, MIL-L-46152B

M008D117	20L
M008D00	25L
M008B01	205L
M008I00	1000L IBC
M008T50	BULK



TAURUS EXTREME M3 10W-40 SYNTHETIC Engine Oil

ACEA E4,E7, API CI-4,CF, MTU TYPE 3, VOLVO VDS-3, RENAULT RXD, RLD-2,RLD, DAIMLER TRUCK DTFR 15B120 (MB 228.5), MAN M3377,M3277, CUMMINS 20077/78, MACK EO-N,EO-M PLUS, CATERPILLAR ECF-1A, DEUTZ DQC IV-10

M401D117	20L
M401D00	25L
M401B77	205L
H401I00	1000L IBC
H401T50	BULK



TAURUS EXTREME HST 15W-40 MINERAL Engine Oil

ACEA E7, API CI-4/SL, CF,SL, MTU TYPE 2, VOLVO VDS-3, DAIMLER TRUCK DTFR 15B110 (MB 228.3), MAN M3275, CUMMINS CES 20076/77/78, CATERPILLAR ECF-2,ECF-1-A, RENAULT RLD, RLD-2, DEUTZ DQC III-10, GLOBAL DHD-1, DETROIT DIESEL DDC 93K215, MACK EO-N, EO-M PLUS

M445D117	20L
M445D00	25L
M445B01	205L
M445I00	1000L IBC
M445T50	BULK



TAURUS SHPD E5 15W-40 MINERAL Engine Oil

ACEA E5,B4,B3,A2, API CH-4/SL, CF, DTFR15B110 (MB 228.3), MAN M3275, CUMMINS 20071/72/76/77, VOLVO VDS-3, MACK EO-M PLUS, RENAULT RVI RLD, GLOBAL DHD-1, MTU TYPE 2

M266D117	20L
M266D00	25L
M266B01	205L
M266I00	1000L IBC
M266T50	BULK



EXCELMOTIVE ZF G7 ULTRA 20W-40 ZINC FREE Engine Oil

LMOA GENERATION 7, EMD, GE

M504D117	20L
M504D00	25L
M504B01	205L
M504I00	1000L IBC
M504T50	BULK



EXCELMOTIVE ZF 20W-40 ZINC FREE Engine Oil

LMOA GENERATION 5, EMD, GE, API CF-2

M375D117	20L
M375D00	25L
M375B01	205L
M375I00	1000L IBC
M375T50	BULK



EXCELMOTIVE CD II 40 LOW ASH Mineral Oil

API CF 2;SAE 40

M068D117	20L
M068D00	25L
M068B01	205L
M068I00	1000L IBC
M068T50	BULK



MICRON BR CR 68 Lubricating Oil

BR 665

L020D117	20L
L020D00	25L
L020B01	205L
L020I00	1000L IBC
L020T50	BULK



MICRON BR M 46 Lubricating Oil

BR 664

L052D117	20L
L052D00	25L
L052B01	205L
L052I00	1000L IBC
L052T50	BULK



**MICRON
BR MP 46**
Lubricating Oil

BR 663

L022D117	20L
L022D00	25L
L022B01	205L
L022I00	1000L IBC
L022T50	BULK



**MICRON
BR MO 68**
Lubricating Oil

BR 663

L023D117	20L
L023D00	25L
L023B01	205L
L023I00	1000L IBC
L023T50	BULK



**MICRON
BR MO 100**
Lubricating Oil

BR 663

L024D117	20L
L024D00	25L
L024B01	205L
L024I00	1000L IBC
L024T50	BULK



**MICRON
BR MO 150**
Lubricating Oil

BR 663

L025D117	20L
L025D00	25L
L025B01	205L
L025I00	1000L IBC
L025T50	BULK

TANK MONITORING SYSTEM

Our new Tank Monitoring system allows customers with bulk containers to monitor volume more efficiently.

The system's central, secure databases communicate with remote transmitters using mobile and internet networks. Exol's new system puts customers in complete control while offering a vast range of beneficial features including 24/7 monitoring, increasing traceability and improving stock check.

A high-tech alarm and innovative monitoring equipment is fitted to the tank with the remote monitoring technology informing the customer when the tank needs to be emptied or filled after reaching a set level. Email or text alerts are also available, notifying the customer with consumption.

The sensor is compatible with a range of telematic platforms, enabling you to receive important data from the platform that best suits your requirements. Essential carbon and energy reporting is also provided, including Carbon Reduction Credits and DECC calculations, helping you comply with environmental regulations.

The new sensors allow customers to take control of their assets while offering a monitoring solution with complete visibility, highlighting our commitment to providing added value in all areas of business.



LIBRA EP2 MULTI PURPOSE Lithium Grease

NLGI 2, KP2N-30, ISO L_XCDEB2

Z005K16	CART 400g
Z005K11L	LS CART 400g
	SCREW CART 500g
Z005K15	TIN 500g
Z005K13	3KG
Z005K10	12.5KG
Z005K04	50KG
Z005K01	180KG



LITHIUM COMPLEX Lithium Complex Grease

NLGI 2, KP2N-30, ISO L_XCDEB2

Z011K16	CART 400g
Z011K11L	LS CART 400g
	SCREW CART 500g
	TIN 500g
Z011K13	3KG
Z011K10	12.5KG
Z011K04	50KG
Z011K01	180KG



BLUE LITHIUM COMPLEX Lithium Complex Grease

NLGI 2, KP2N-30, ISO L_XCDEB2

Z074K16	CART 400g
	LS CART 400g
	SCREW CART 500g
	TIN 500g
Z074K13	3KG
Z074K10	12.5KG
Z074K04	50KG
Z074K01	180KG



LIBRA 000EP Semi Fluid Lithium Grease

NLGI 000, GP000K-40,
ISO L_XDCEB00

	CART 400g
	LS CART 400g
	SCREW CART 500g
	TIN 500g
Z001K13	3KG
Z001K10	12.5KG
Z001K04	50KG
Z001K01	180KG



LIBRA 00EP Semi Fluid Lithium Grease

NLGI 00, GP00K-40,
ISO L_XDCEB00

	CART 400g
	LS CART 400g
	SCREW CART 500g
	TIN 500g
Z002K13	3KG
Z002K10	12.5KG
Z002K04	50KG
Z002K01	180KG



FIFTH WHEEL GREASE Adhesive Grease With Solid Lubricants

NLGI 2, KF2N-20, ISO L_XBCIA2

Z030K16	CART 400g
	LS CART 400g
	SCREW CART 500g
	TIN 500g
	3KG
Z030K10	12.5KG
Z030K04	50KG
	180KG



COPPER GREASE Anti-Seize Compound

NLGI 1/2, KF1/2U-20,
ISO L_XBGA1/2

	CART 400g
	LS CART 400g
	SCREW CART 500g
	TIN 500g
Z010K15	3KG
Z010K13	12.5KG
Z010K10	50KG
Z010K04	180KG



HAMMER GREASE Adhesive Grease With Solid Lubricants

NLGI 2/3, KF2/3N-5,
ISO L_XADE2/3

	CART 400g
	LS CART 400g
	SCREW CART 500g
	TIN 500g
Z055K13	3KG
Z055K10	12.5KG
Z055K04	50KG
	180KG



BOOM GREASE LITHIUM COMPLEX Grease With PTFE

NLGI 2.5, DIN KF2.5N-30,
ISO LXCDIA2.5

Z111K16	CART 400g
	LS CART 400g
	SCREW CART 500g
	TIN 500g
Z111K13	3KG
Z111K10	12.5KG
Z111K04	50KG
Z111K01	180KG



WIRE ROPE LUBE SEMI-FLUID Grease With Molybdenum Disulphide

NLGI 00, DIN KF00K-40,
ISO L_XDCIB00

	CART 400g
	LS CART 400g
	SCREW CART 500g
	TIN 500g
	3KG
Z051K10	12.5KG
Z051K31	50KG
	180KG



CALGRAPH 2 CALCIUM GREASE With Graphite

NLGI 2, KPF2G-30, ISO L_XCBEA2

Z013K16	CART 400g
	LS CART 400g
	SCREW CART 500g
	TIN 500g
Z013K13	3KG
Z013K10	12.5KG
Z013K14	50KG
	180KG



LIBRA XL EP-2 MULTI PURPOSE Lithium Grease - 500g Screw Cartridge

NLGI 2, KP2N-30, L_XCDEB2

	CART 400g
	LS CART 400g
Z107K15	SCREW CART 500g
	TIN 500g
	3KG
	12.5KG
	50KG
	180KG



LITHIUM XL COMPLEX HD 2.5 Water Resistant Heavy Duty Grease

500g Screw Cartridge

NLGI 2, KP2N-30, L_XCDEB2

	CART 400g
	LS CART 400g
Z108K15	SCREW CART 500g
	TIN 500g
	3KG
	12.5KG
	50KG
	180KG



LITHIUM XL COMPLEX LITHIUM Grease With Molybdenum Disulphide

500g Screw Cartridge

NLGI 2, KP2N-30, L_XCDEB2

	CART 400g
	LS CART 400g
Z109K15	SCREW CART 500g
	TIN 500g
	3KG
	12.5KG
	50KG
	180KG



LIBRA MOLY XL EP2 HEAVY DUTY Lithium Complex Grease 500g Screw Cartridge

NLGI 2, KP2N-30, ISO L_XCDEB2

	CART 400g
	LS CART 400g
Z110K15	SCREW CART 500g
	TIN 500g
	3KG
	12.5KG
	50KG
	180KG

MANUFACTURER	SPECIFICATION	EXOL RECOMMENDATION
Case	MS 1206	Optifarm UTTO
	MS 1207	Optifarm LV UTTO
	MS 1209	Optifarm LV UTTO
	MS 1210	Optifarm UTTO
	MAT 3525	Optifarm UTTO
	MAT 3526	Optifarm LV UTTO
	MAT 3540	Optifarm LV UTTO
Ford	M2C159-B & -C	Optifarm Ultra 10W-30
	M2C86-B	Optifarm UTTO
	M2C134-D	Optifarm UTTO
John Deere	J27	Optifarm Ultra 10W-30
	J20C	Optifarm UTTO
	J20D	Optifarm LV UTTO
Kubota	UDT	Optifarm UTTO
	Super UDT	Optifarm LV UTTO
Massey Fergusson	M1127	Optifarm Master 15W-30
	M1135	Optifarm UTTO
	M1139	Optifarm Master 15W-30
	M1141	Optifarm UTTO
	M1143	Optifarm UTTO
	M1144	Optifarm Ultra 10W-30
	M1145 (older models)	Optifarm UTTO
	M1145 (new 10W-40 requirement)	Optifarm Ultra SS 10W-40
New Holland	NH 410B	Optifarm UTTO
	NH 420A	Optifarm UTTO
Valtra	XT60 (G2-08)	Optifarm LV UTTO
Volvo	WB101 (97303)	Optifarm UTTO
	WB102 (97304)	Optifarm LV UTTO
Engine	ACEA E9	Taurus SHPD E9 grades
	ACEA E6	Taurus Euro 10W-40
	ACEA E7	Taurus SHPD E7 15W-40
	API CI-4	Taurus SHPD E7 15W-40
	API CJ-4	Taurus SHPD E9 grades
	API CK-4	Taurus SHPD E9 15W-40



EXOL LUBRICANTS LIMITED

All Saints Road, Wednesbury, West Midlands, WS10 9LL,
United Kingdom

T: + (0) 121 5686800



www.exol-lubricants.com

 **MADE IN ENGLAND**

