



COMMERCIAL

FLUIDS & LUBRICANTS



EXCELLENCE IN LUBRICANTS



40 YEARS OF EXCELLENCE

**Proudly manufacturing
lubricants in the UK
since 1984.**

LUBRICANTS FOR ALL SECTORS

Contact your Area Sales Manager if you require one of the following brochures from our Lubricants and Fluids Range, alternatively visit www.exol-lubricants.com/downloads for an electronic copy.



STATEMENT OF QUALITY

Exol products are supported by O.E.M. approvals, acknowledgments and registrations and a quality guarantee of being of “parts of matching quality” under European Block Exemption Regulations.

These lubricants can be used for vehicle servicing without invalidating the vehicle or replacement parts warranty, providing the application is as given in the Exol Technical Data Sheet.



* Providing the lubricant specification required by the vehicle manufacturer is detailed on the product label or Technical Data Sheet.



COMMERCIAL

Exol's commercial vehicle lubricants satisfy the needs of the most modern trucks and buses as well as older models. The exhaustive range features low SAPS, fully synthetic engine oils, long drain semi synthetics and traditional mineral oil grades as well as sophisticated automatic transmission fluids, manual gear oils and ancillary products.

Exol Lubricants is proud to produce and supply the highest quality products that have been approved by Original Equipment Manufacturers (OEMs), for full details please visit Exol's website and select Product Approvals.

Find the right oil for your vehicle with Exol's free online Which Oil look-up, visit www.exol-lubricants.com

Technical Data and Safety Data Sheets are available to view and download through Exol's website product pages.

EXCELLENCE IN LUBRICANTS



CONTENTS

LOW SAPS FULLY SYNTHETIC ENGINE OILS	4
FULLY & SEMI SYNTHETIC ENGINE OILS	5
MINERAL ENGINE OILS	6
FIND THE PERFECT OIL.....	7
ANCILLARY & ANTIFREEZE PRODUCTS	8 - 9
GREASES	10
TECHNOLOGY THAT WORKS FOR YOU	11

LOW SAPS FULLY SYNTHETIC ENGINE OILS



TAURUS EURO XFE 5W-20 FULLY SYNTHETIC Low SAPS Engine Oil

SCANIA LDF 5, MAN 3977

M542D117	20L
M542D00	25L
M542B77	205L
M542I00	1000L IBC
M542T50	BULK



TAURUS EURO FE PLUS 5W-30 FULLY SYNTHETIC Low SAPS Engine Oil

ACEA E4, E7, E8, E11, Scania LDF-4, LA, API CK-4, MTU Type 3.1, Type 2.1, Caterpillar ECF-3, Cummins CES 20086, CES 20081, MAN M3777, M3677, M3775, M3477, M3271-1, Daimler Truck DTFR 15C120 (MB 228.52) DTFR 15C110 (MB 228.51) DTFR 15C100 (MB 228.31), Volvo VDS-4.5, Deutz DQC IV-18 LA, Renault Trucks RLD-3, Iveco 18-1804 TLS E6, DAF PSQL 2.1E LD, Detroit Diesel 93K218, 93K222, JASO DH-2, DH-1, DL-0, Mack EOS-4.5

M502D117	20L
M502D00	25L
M502B77	205L
M502I00	1000L IBC
M502T50	BULK



TAURUS EURO PLUS 10W-40 FULLY SYNTHETIC Low SAPS Engine Oil

ACEA * E4, E7, E8, E11, Scania LA, API CK-4, MTU Type 3.1, Type 2.1, Daimler Truck DTFR 15C120 (MB 228.52), DTFR 15C110 (MB 228.51), DTFR 15C100 (MB 228.31), Cummins CES 20086, CES 20081, MAN M3477, M3271-1, M3775, Caterpillar ECF-3, Volvo VDS-4.5, Deutz DQC IV-18 LA, DAF PSQL 2.1E LD, Iveco 18-809 Classe NG2, Renault Trucks RLD-3, Detroit Diesel 93K218, 93K222, JASO DH-2, DH-1, DL-0, New Holland MAT 3571, MAT 3521, Mack EOS-4.5

M443D117	20L
M443D00	25L
M443B77	205L
M443I00	1000L IBC
M443T50	BULK



TAURUS EURO 10W-40 FULLY SYNTHETIC Low SAPS Engine Oil

ACEA E7, E8, E11, API CK-4, Caterpillar ECF-3, MTU Type 3.1, Daimler Truck DTFR 15C110 (MB 228.51), Cummins CES 20086, CES 20081, MAN M3477, M3575, M3271-1, Ford WSS-M2C171-F1, Volvo VDS-4.5, Deutz DQC IV-10 LA, DAF PSQL 2.1E LD, Iveco 18-1804 TLS E9, Renault Trucks RLD-3, Detroit Diesel 93K218, 93K222, JASO DH-2, Mack EOS-4.5, Scania LA

M403S758	4 x 5L
M403D117	20L
M403D00	25L
M403B77	205L
M403I00	1000L IBC
M403T50	BULK



TAURUS SHPD E9 15W-40 PREMIUM Low SAPS Engine Oil

ACEA E11/E7, API CK-4, SN, CUMMINS 20086, DTFR 15 C100 (MB 228.31), MAN M3775 & M3575, MTU TYPE 2.1, RENAULT RVI RLD-3, VOLVO VDS-4.5, CATERPILLAR ECF-3, JASO DH-2, DEUTZ DQC III-10LA, DETROIT DIESEL DFS 93K222, FORD WSS-M2C171-F1, MACK EO-S-4.5, ALLISON TES-439

M408D117	20L
M408D00	25L
M408B77	205L
M408I00	1000L IBC
M408T50	BULK



TAURUS SHPD E9 10W-30 PREMIUM Low SAPS Engine Oil

ACEA E11, E7, Volvo VDS-4.5, API CK-4, Renault RLD-3, Daimler Truck DTFR 15C100 (MB 228.31), Caterpillar ECF-3, Cummins CES 20086, JASO DH-2, MAN M3775, M3575, MTU Type 2.1, Deutz DQC III-18LA, Detroit Diesel DFS 93K222, Ford WSS-M2C171-F1, Mack EO-S-4.5, DAF PSQL 2.1E

M432D117	20L
M432D00	25L
M432B77	205L
M432I00	1000L IBC
M432T50	BULK

APPROVALS



Exol carry a wide range of O.E.M. approvals, acknowledgements, and registrations from the world's top vehicle and equipment manufacturers, including the following. For more information, please contact the technical department.

CAT

CUMMINS

FORD

GE JENBACHER

GENERAL MOTORS

MACK

MAN

MERCEDES-BENZ

ROLLS ROYCE

MTU

MWM

RENAULT

SCANIA

VOITH

VW

VOLVO

ZF

BMW



TAURUS RESILIENT 10W-40 FULLY SYNTHETIC Engine Oil

ACEA E4, E7, API CF, SCANIA LDF-3, LDF-2, LDF, DAIMLER TRUCK 15B120 (MB 228.5), DAF EXTENDED DRAINS, MAN M3277, MTU TYPE 3, VOLVO VDS-3, RENAULT RXD, RLD-2, RLD, RD-2, DEUTZ DQC III-05, CUMMINS 20072, ZF TE-ML 04C, MACK EO-N

M385D117	20L
M385D00	25L
M385B77	205L
M385I00	1000L IBC
M385T50	BULK



TAURUS FS 5W-40 FULLY SYNTHETIC Engine Oil

API CH-4, CF, SL, ACEA E2, A3/B3, A3/B4, VW 505.00, MB 229.1, MACK EO-L, MAN 271, MTU TYPE 1, VOLVO VDS

M488D117	20L
M488D00	25L
M488B77	205L
M488I00	1000L IBC
M488T50	BULK



TAURUS XHPD 10W-40 SEMI SYNTHETIC Engine Oil

ACEA E4, E7 API CI-4, DAIMLER TRUCK DTFR 15B120 (MB 228.5), MAN M3277, MACK EO-L, VOLVO VDS-3, MTU TYPE 3, RENAULT RXD

M137D117	20L
M137D00	25L
M137B01	205L
M137I00	1000L IBC
M137T50	BULK

FLUID CHECK



Providing fluid analysis & diagnostic services for:

Power Generation & Distribution, Road & Rail Transport, Construction, Mining, Industrial and Marine

What Is Fluid Check?

Fluid Check analysis is Exol Lubricants' market leading complete fluid analysis programme for monitoring all types of fluid lubricated and insulating oil systems.

In all cases your machinery represents a significant investment by your company and it is so critical it remains operational at all times. Failure of your machinery can result in loss of operation, with associated costs running at times into thousands of pounds an hour.

Imagine if your business was suddenly unable to provide its services or product, consider the damage it could do to your business and your customers' confidence in you to deliver on time or even at all...it must not happen - if it can be avoided!

Our aim is to help you succeed in making the most of your vehicles and machinery through reducing unplanned downtime, extending oil drains and detecting potential future failure...before they happen!



TAURUS SHPD E7 15W-40 MINERAL Engine Oil

ACEA E7, A3/B3, A3/B4, API CI-4/SL, CF, DAIMLER TRUCK DTFR 15B110 (MB 228.3), MERCEDES BENZ 229.1, CUMMINS 20071/72/76/77/78, MAN M3275, MTU TYPE 2, MACK EO-N, EO-M PLUS, VOLVO VDS-3, RENAULT RLD-2, RLD, GLOBAL DHD-1, ZF TE-ML 04C/07C, CATERPILLAR ECF-2, EFC-1-A, ALLISON C4, DEUTZ DQC III-10, JASO DH-1, DETROIT DIESEL DDC 93K215

M363D117	20L
M363D00	25L
M363B01	205L
M363I00	1000L IBC
M363T50	BULK



TAURUS SHPD E7 20W-50 MINERAL Engine Oil

E7/E5/E3, A3/B4, CI-4/CH-4/CG-4/SL, DTFR 15 B110 (MB 228.3), 229.1, CUMMINS 20071/72/76/77/78, MAN M3275, MTU TYPE 2, MACK EO-M PLUS, VOLVO VDS-3, RENAULT RVI RLD-2, GLOBAL DHD-1, ZF TE-ML 04C/07C, CATERPILLAR ECF-1

M386D117	20L
M386D00	25L
M386B01	205L
M386I00	1000L IBC
M386T50	BULK



TAURUS SHPD E5 15W-40 MINERAL Engine Oil

ACEA E5, B4, B3, A2, API CH-4/SL, CF, DTFR 15 B110 (MB 228.3), MAN M3275, CUMMINS 20071/72/76/77, VOLVO VDS-3, MACK EO-M PLUS, RENAULT RVI RLD, GLOBAL DHD-1, MTU TYPE 2

M266D117	20L
M266D00	25L
M266B01	205L
M266I00	1000L IBC
M266T50	BULK



TAURUS SHPD E3 15W-40 MINERAL Engine Oil

ACEA E3, A3/B4, A3/B3, API CH-4/SL, CF, MB DTFR 15 B110 (228.3), 229.1, MACK EO-L, MAN M3275, VOLVO VDS-2, RENAULT RVI RD, MTU TYPE 2

M097D117	20L
M097D00	25L
M097B01	205L
M097I00	1000L IBC
M097T50	BULK



GEAR & TRANSMISSION OILS

Exol offer a comprehensive range of Gear & Transmission oils for the Automotive and Commercial sectors.

Contact your Account Manager if you require a brochure, or alternatively visit www.exol-lubricants.com/downloads for an electronic copy.

HOW TO FIND THE PERFECT OIL

To ensure you are picking the correct oil for your vehicle, Exol's OIL Check couldn't be easier:

www.exol-lubricants.com/oil-check

Simply enter
your car
registration

User friendly
on-screen
instructions

Safe in the
knowledge you
have the correct
information



Simply enter the vehicle's registration number and we'll do the rest. We can then provide you with an overview of the optimum lubricants for your vehicle.



ULTRAMAX BRAKE FLUID DOT 4 SYNTHETIC

Hydraulic Brake Fluid

US FM VSS 116 DOT 4,
US FM VSS 116 DOT 3,
SAE J1703, J1704,
ISO 4925 (CLASSES 3 & 4)

H053S535	15 x 1L
H053S735	4 x 5L
H053D117	20L
H053D00	25L
H053B01	205L



ULTRAMAX CHF FULLY SYNTHETIC

Hydraulic Fluid

DIN 51524 PART 3, ISO 7308,
AUDI/VOLKSWAGEN G 002 000 A2, TL 52
146.00, BENTLEY RH 5000, BMW/MINI 82
11 1 468 041, 82 11 0 148 132, 83 29 0 429
576, FENDT X 902 011 622, FORD
WSS-M2C204-A, MAN M3289, MB 001 989
24 03 10, 001 989 24 03 12, Q 1 32 0001,
MB 345.0, PORSCHE 000 043 203 33, SAAB
3032 380, VOLVO 11 61 529, ZF TE-ML 02K
SUITABLE FOR USE WHERE CHF 11S AND CHF
202 FLUIDS WERE ORIGINALLY SPECIFIED.

H201S535	15 x 1L
	4 x 5L
H201D117	20L
H201D00	25L
H201B77	205L



ULTRAMAX LHM FLUID PLUS MINERAL

Hydraulic Brake Fluid

ISO 7308, PSA B71 2710,
NEW HOLLAND
NH-610A, FORD M6C59-A

H104S518	15 x 1L
	4 x 5L
H104D117	20L
H104D00	25L
H104B01	205L



EXCEL DELTA DEGREASER

Solvent Based Cleaner

	15 x 1L
	4 x 5L
D002D117	20L
D002D00	25L
D002B01	205L



EXCEL FLEETWASH

Traffic Film Remover

	15 x 1L
	4 x 5L
D003D117	20L
D003D00	25L
D003B01	205L



OPTICOO ANTIFREEZE RED

Organic Acid Technology (OAT)

ASTM D3306, ASTM D 4985, SAE
J 1034, BS 6580: 2010,
AFNOR NF R15-601*,
FFV Heft R443, CUNA NC 956-16,
UNE 26361-88, JIS K 2234*,
NATO S 759
(* with the exception of reserve alkalinity)

D017S535	15 x 1L
D017S704	4 x 5L
D017D117	20L
D017D00	25L
D017B01	205L



OPTICOO ANTIFREEZE PRO RED

Organic Acid Technology (OAT)

ASTM D3306, ASTM D 4985, SAE J
1034, BS 6580: 2010, AFNOR NF
R15-601*, FFV Heft R443, CUNA NC
956-16, UNE 26361-88, JIS K
2234*, NATO S 759
(* with the exception of reserve alkalinity)

D029S539	15 x 1L
D029S704	4 x 5L
D029D117	20L
D029D00	25L
D029B01	205L



OPTICOO ANTIFREEZE BLUE

Inorganic Acid Technology (IAT)

ASTM D 3306, ASTM D 4985,
SAE J 1034, BS 6580: 2010

D001S564	15 x 1L
D001S704	4 x 5L
D001D117	20L
D001D00	25L
D001B01	205L



OPTICOOOL ANTIFREEZE PRO BLUE

Inorganic Acid
Technology (IAT)

ASTM D 3306, ASTM D 4985,
SAE J 1034, BS 6580: 2010

D030S564	15 x 1L
D030S704	4 x 5L
D030D117	20L
D030D00	25L
D030B01	205L



OPTICOOOL ANTIFREEZE HD (GREEN) OAT + Borate,

Silicate, Nitrite (Hybrid)

ASTM D 3306, ASTM D 4985,
ASTM D 6210, SAE J 1034,
BS 6580:2010, AFNOR NF R15-601,
JIS K2234, MAN 324,
Cummins ES14603, Leyland,
Fiat / Iveco, BR 637, Perkins, John Deere
(See Technical Data Sheet for further information)

D027S535	15 x 1L
D027S704	4 x 5L
D027D117	20L
D027D00	25L
D027B01	205L



OPTICOOOL ANTIFREEZE HDX (BLUE/GREEN)

OAT + Borate, Silicate
(Nitrite Free Hybrid)

ASTM D 3306, ASTM D 4985,
SAE J 1034, BS 6580: 2010,
AFNOR NF R15-601, JIS K2234,
and the performance requirements
of ASTM D 6210
(See Technical Data Sheet for further information)

D031S535	15 x 1L
D031S704	4 x 5L
D031D117	20L
D031D00	25L



OPTICOOOL ANTIFREEZE SOAT (LILAC)

OAT + Silicate
(Si-OAT)

ASTM D 3306, ASTM D 4985, SAE J 1034,
AFNOR NF R15-601*, CUNA NC 956-16,
UNE 26361 – 88, JIS K 2234*,
NATO S 759, BS 6580:2010,
VAG TL 774 G
(* with the exception of reserve alkalinity)
(See Technical Data Sheet for further information)

D032S535	15 x 1L
D032S704	4 x 5L
D032D117	20L
D032D00	25L



OPTICOOOL ANTIFREEZE YELLOW

Monoethylene Glycol based OAT

ASTM D 3306, ASTM D 4985,
SAE J 1034, BS 6580: 2010,
AFNOR NF R15-601*, FFV Heft R443,
CUNA NC 956-16, UNE 26361-88,
JIS K 2234*, NATO S 759
(* with the exception of reserve alkalinity)
(See Technical Data Sheet for further information)

	15 x 1L
	4 x 5L
D039D117	20L
D039D00	25L
D039B01	205L



OPTICOOOL ANTIFREEZE UNIVERSAL (CLEAR)

OAT (Universal Top Up Coolant)

ASTM D 3306, ASTM D 4985,
SAE J 1034, AFNOR NF R15-601*,
BS 6580: 2010, CUNA NC 956-16,
UNE 26361 – 88, JIS K 2234 *,
NATO S 759
(* with the exception of reserve alkalinity)
(See Technical Data Sheet for further information)

D033S535	15 x 1L
D033S704	4 x 5L
D033D117	20L
D033D00	25L
D033B01	205L



HAVE YOU HEARD THE NEWS?

News & Information from the UK's
Largest Independent Lubricants Blender.

Contact your Account Manager
for the latest copy, or alternatively visit
www.exol-lubricants.com/downloads
for an electronic copy.



LIBRA EP2 MULTI PURPOSE Lithium Grease

NLGI 2, KP2N-30, ISO L_XCDEB2

Z005K16	CART 400g
Z005K11L	LS CART 400g
	SCREW CART 500g
Z005K15	TIN 500g
Z005K13	3KG
Z005K10	12.5KG
Z005K04	50KG
Z005K01	180KG



LITHIUM COMPLEX Lithium Complex Grease

NLGI 2, DIN KP2N-30, ISO L_XCDIB2

Z011K16	CART 400g
Z011K11L	LS CART 400g
	SCREW CART 500g
	TIN 500g
Z011K13	3KG
Z011K10	12.5KG
Z011K04	50KG
Z011K01	180KG



BLUE LITHIUM COMPLEX Lithium Complex Grease

NLGI 2, DIN KP2N-30, ISO L_XCDIB2

Z074K16	CART 400g
	LS CART 400g
	SCREW CART 500g
	TIN 500g
Z074K13	3KG
Z074K10	12.5KG
Z074K04	50KG
Z074K01	180KG



LIBRA 000EP Semi Fluid Lithium Grease

NLGI 000, DIN GP000K-40,
ISO L_XDCEB000

	CART 400g
	LS CART 400g
	SCREW CART 500g
	TIN 500g
Z001K13	3KG
Z001K10	12.5KG
Z001K04	50KG
Z001K01	180KG



LIBRA 00EP Semi Fluid Lithium Grease

NLGI 00, DIN GP00K-40,
ISO L_XDCEB00

	CART 400g
	LS CART 400g
	SCREW CART 500g
	TIN 500g
Z002K13	3KG
Z002K10	12.5KG
Z002K04	50KG
Z002K01	180KG



IVO-FLO GREASE Semi Fluid Calcium Grease

NLGI 000, KP000E-40,
ISO L_XDCEB000

	CART 400g
	LS CART 400g
	SCREW CART 500g
	TIN 500g
Z021K13	3KG
Z021K10	12.5KG
Z021K04	50KG
	180KG



FIFTH WHEEL GREASE Adhesive Grease With Solid Lubricants

NLGI 2, KF2N-20, ISO L_XBCIA2

Z030K16	CART 400g
	LS CART 400g
	SCREW CART 500g
	TIN 500g
	3KG
Z030K10	12.5KG
Z030K04	50KG
	180KG



COPPER GREASE Anti-Seize Compound

NLGI 1/2, KF1/2U-20,
ISO_LX8GA1/2

	CART 400g
	LS CART 400g
	SCREW CART 500g
	TIN 500g
Z010K15	3KG
Z010K13	3KG
Z010K10	12.5KG
Z010K04	50KG
	180KG

TECHNOLOGY THAT WORKS FOR YOU

All Exol products are supported by our experienced technical department and team of area sales managers. Our technical support is second to none.

For further information please contact us:

Email: info@exol-lubricants.com

Tel: +44 (0) 121 568 6800

Exol's technical department draws on over 60 years of oil industry experience and expertise, and is here to help you match the right product to the right application. They are also on hand where you have problems, or special requirements.

We take great pride in ensuring that our products are truly worthy of our motto, "Excellence in Lubricants".

Exol's market-leading technical support and partnership program is supported by our comprehensive laboratories at both Wednesbury and Rotherham sites.

Technical Support Initiatives:

- Lubricant advice by phone, email and VRM Look Up
- Recommendation on the correct use of our products
- Lubrication problem solving
- Product information
- Safety and technical datasheets
- Sample analysis on all lubricants through Fluid Check program
- On-site technical support





EXOL LUBRICANTS LIMITED

All Saints Road, Wednesbury, West Midlands, WS10 9LL, United Kingdom

T: + (0) 121 5686800



www.exol-lubricants.com

 **MADE IN ENGLAND**

